Journal of Applied Polymer Science

Author Index to Volume 64

Achorn, P. J. See Ferrillo, R. G., 191
Affrossman, S. See Bielinski, D. M., 1927
Ahmed, S. M. See Shailaja, D., 1373
Ahn, T. O.
—; Jung, S.; Lee, J.; Jeong, H. M.: Influence of Interchange Reactions on the Miscibility of Polyesterurethanes/ Polycarbonate Binary Blends, 2363
Akashi, M. See Matsumoto, T., 1153
Albérola, N. D.
—; Mélé, P.; Bas, C.: Tensile Mechanical Properties of PEEK Films Over a Wide Range of Strain Rates. II, 1053
—; See Bas, C., 1041
Al-Esaimi, M. M.
Reaction Catalyzed by Montmorillonite: Polymerization of Methyl Methacrylate, 367
Ali, S. A. See Khan, K. A., 645
Amemiya, F. See Takeda, K., 1175
Ando, R. See Tomoi, M., 1161
Angiolini, L.
—; Caretti, D.; Corelli, E.; Carlini, C.; Rolla, P. A.: Copolymeric Systems Bearing Side-chain Thioxanthone and α-Aminoacetophenone Moieties as Photoinitiators for Ultraviolet-curable Pigmented Coatings, 2247
—; See Carlini, C., 2237
Angle, C. W.
—; Smith-Palmer, T.; Wentzell, B. R.: The Effects of Cationic Polymers on Flocculation of a Coal Thickener Feed in Washery Water as a Function of pH, 783
Aosaki, Y. See Tomoi, M., 1161
Arai, K. See Honda, I., 1879
Arnold, J. C.
The Impact of Small Particles Onto Rubber Surfaces at Glancing Angles, 2199
Asfardjani, K. See Jama, C., 699
Ashurov, N. R. See Cheshkov, V. M., 1255
Asman, G.
—; Şanli, O.: Ultrafiltration of Fe(III) Solutions in the Presence of Poly(vinyl alcohol) Using Modified Poly(methyl methacrylate-*co*-methacrylic acid) Membranes, 1115
Ayar, A. See Ersoz, M., 1225

Balci, N.
—; Bayramli, E.; Toppare, L.: Conducting Polymer Composites: Polypyrrole and Poly(vinyl chloride–vinyl acetate) Copolymer, 667
Baltzis, B. C. See Xanthos, M., 1423
Balwinski, K. M. See Jones, M. A., 673
Banerjee, A. See Basu, D., 1485
Banerjee, A. N. See Rana, A. K., 1517
Barta, Š.
—; Bielek, J.; Dieška, P.: Study of Thermophysical and Mechanical Properties of Particulate Composite Polyethylene–$CaCO_3$, 1525
Baruah, S. D.
—; Goswami, A.: Polymerization of Methyl Methacrylate by Charge-Transfer Mechanism with 2,2′-Bipyridine and Iron (III) Complex, 2097
Bas, C.
—; Fugier, M.; Albérola, N. D.: Reinforcement Effect and Molecular Motions in Semicrystalline PEEK Films: Mechanical and Physical Modelings. I, 1041
—; See Albérola, N. D., 1053
Basak, R. K. See Rana, A. K., 1517
Basu, D.
—; Banerjee, A.: Determination of Optimum Compatibilizer (SMA) Concentration for PBT/ABS (70/30) Blend Using Tensile Strength Data, 1485
Basu, D. K. See Biswas, T., 2623
Baumgärtner, K.-M. See Walker, M., 717
Bayramli, E. See Balci, N., 667
Bayramlý, E. See Haska, S. B., 2347, 2355
Bednarczyk, C. See Murthy, N. S., 1363
Beinert, G. See Marion, P., 2409
Beltsios, K. See Steriotis, Th., 2323
Bertorello, H. See Rios, P., 1195
Bhadani, S. N.
—; Kumari, M.; Sen Gupta, S. K.; Sahu, G. C.: Preparation of Conducting Fibers via the Electrochemical Polymerization of Pyrrole, 1073
Bhagawan, S. S. See Devi, L. U., 1739
Bhowmick, A. K. See Kar, K. K., 1541
Bian, D.-C. See Sheng, J., 2265
Bielek, J. See Barta, Š., 1525
Bielinski, D. M.
—; Slusarski, L.; Affrossman, S.; O'Neill, S. A.; Pethrick, R. A.: Influence of Iodination on Tribological Properties of Acrylonitrile–Butadiene Rubber, 1927
Bikiaris, D. See Tselios, Ch., 983
Biswas, T.
—; Naskar, N.; Basu, D. K.: Some Investigations on Structure–Property Relationship in XNBR Vulcanizates in the Presence of Bis(diisopropyl thiophosphoryl)disulfide, 2623

Journal of Applied Polymer Science, Vol. 64, 2675–2690 (1997)

Bodhane, S. P.
—; Shirodkar, V. S.: Change in Crystallinity of Poly(vinylidene fluoride) Due to Thermal Evaporation, 225
Boggess, R. K.
—; Taylor, L. T.; Stoakley, D. M.; St. Clair, A. K.: Highly Reflective Polyimide Films Created by Supercritical Fluid Infusion of a Silver Additive, 1309
Bonfanti, C.
—; Lanzini, L.; Sisto, R.; Valentini, C.: Functional Ethynyl-Substituted Polysulfones by Bromination-Alkynylation Suitable as Gas Permselective Membranes, 1987
Borger, D. B. See Van Soest, J. J. G., 631
Bose, N. R. See Ghosh, P., 2467
Breuer, O.
—; Tchoudakov, R.; Narkis, M.; Siegmann, A.: Segregated Structures in Carbon Black-Containing Immiscible Polymer Blends: HIPS/LLDPE Systems, 1097
Brogly, M.
—; Nardin, M.; Schultz, J.: Effect of Vinylacetate Content on Crystallinity and Second-order Transitions in Ethylene–Vinylacetate Copolymers, 1903
Brown, R. J. See Poche, D. S., 1613
Burchill, P. J. See Cook, W. D., 769
Burford, R. P. See Mehrabzadeh, M., 1605
Burns, C. M. See Lee, H. S., 1301
Bushman, A. C.
—; McHugh, A. J.: Transient Flow-Induced Crystallization of a Polyethylene Melt, 2165

Cakmak, M.
—; Kim, J. C.: Structure Development in High-Speed Spinning of Polyethylene Naphthalate (PEN) Fibers, 729
Caretti, D. See Angiolini, L., 2247; Carlini, C., 2237
Carlini, C.
—; Angiolini, L.; Caretti, D.; Corelli, E.: Novel Polymeric Photoinitiators Bearing Side-chain α-Aminoacetophenone Moieties for Ultraviolet-curable Pigmented Coatings, 2237
—; See Angiolini, L., 2247
Carriere, C. J. See Jones, M. A., 673
Caruthers, J. M. See Ramkumar, D. H. S., 2177
Cavaillé, J.-Y. See Dufresne, A., 1185
Cerrada, M. L.
—; Pereña, J. M.: Evaluation of Orientation in Vinyl Alcohol–Ethylene Copolymer Films by Means of Infrared Dichroism and Birefringence, 791
Chang, C.-K. See Chiang, W.-Y., 1625
Charit, Y. See Muskatell, M., 601
Charmchi, M. See Gibson, P., 493
Cheikhalard, T.
—; Tighzert, L.; Pascault, J. P.: Erratum to "Polyurethane Macroazoinitiators Based on 2,2′-Azobis(2-cyanopropanol) Kinetic Studies", 1029
Che, M.
—; Grellmann, W.; Seidler, S.: Crack Resistance Behavior of Polyvinylchloride, 1079
Cheng, H. N. See Kasehagen, L. J., 607, 1557
Cheng, S. See He, H., 2535
Chen, H.-Z. See Shi, M.-M., 1769
Chen, J. See Yang, M., 1657
Chen, J. S. See Wang, L. F., 539
Chen, M. See Huang, Y., 2457
Chen, S. X. See Tjong, S. C., 707
Chen, T. See Wang, Z., 1725
Chen, T. M. See Wang, Y. F., 1403
Chen, X. See Li, M., 2441
Chen, X. See Mi, Y., 1267
Chen, Y.
—; Jean, C.-S.: Polyethers Containing Coumarin Dimer Components in the Main Chain. II. Reversible Photocleavage and Photopolymerization, 1759
—; Jean, C.-S.: Polyethers Containing Coumarin Dimer Components in the Main Chain. I. Synthesis by Photopolymerization of 7,7′-(Polymethylenedioxy)-dicoumarins, 1749
Cheshkov, V. M.
—; Natova, M. M.; Ashurov, N. R.; Usmanova, M. M.; Vekselman, A. M.: Characteristics of Polymerization-Filled Polycaprolactams, 1255
Chiang, W.-Y.
—; Chang, C.-K.: Ultraviolet-Photocurable Oligomer. II. Syntheses and Cured Film Properties of Ultraviolet-Photocurable BTDA-Based Caprolactone Multiacrylate Oligomers, 1625
Childs, R. F. See Ji, J., 2381
Chiu, W. Y. See Wu, W. B., 411
Choi, W.-K. See Koh, S.-K., 1913
Cho, W.-J. See Kim, G.-C., 2605
Chung, T. C.
—; Lee, S. H.: New Hydrophilic Polypropylene Membranes; Fabrication and Evaluation, 567
Chun, X.
Studies on Graft Copolymerization of Cyclohexyl Methacrylate onto Chloroprene Rubber, 1733
Cicek, H. See Senel, S., 1775
Cong, G. See Huang, Y., 2457
Cook, W. D.
—; Simon, G. P.; Burchill, P. J.; Lau, M.; Fitch, T. J.: Curing Kinetics and Thermal Properties of Vinyl Ester Resins, 769
Corcuera, M. A.
—; Mondragon, I.; Riccardi, C. C.; Williams, R. J. J.: Polymer Networks Derived from the Anhydride Curing of Tetraepoxides, 157
Corelli, E. See Angiolini, L., 2247; Carlini, C., 2237
Coşkun, R. See Ünal, H. İ., 1437
Costa, D. A.
—; Silva, E. P.; Oliveira, C. M. F.; Tavares, M. I. B.: Carbon-13 NMR High-Resolution Study at Solid of Polyamide 6/PPO Blends Containing

Compatibilizer-Block Copolymer and Polycarbonate, 1635
Cowan, P. J. See Kasehagen, L. J., 607, 1557
Cox, M. R. See Lunt, B. M., 337
Crighton, J. S. See Tsukada, M., 343
Crivello, J. V.
—; Narayan, R.; Sternstein, S. S.: Fabrication and Mechanical Characterization of Glass Fiber-Reinforced UV-Cured Composites from Epoxidized Vegetable Oils, 2073
Cun, L. F. See Peng, Y. X., 1719
Cunningham, R. L.
—; Gordon, S. H.; Felker, F. C.; Eskins, K.: Jet-Cooked Starch–Oil Composite in Polyurethane Foams, 1355
Cutié, S. S.
—; Henton, D. E.; Powell, C.; Reim, R. E.; Smith, P. B.; Staples, T. L.: The Effects of MEHQ on the Polymerization of Acrylic Acid in the Preparation of Superabsorbent Gels, 577

Dai, H. S. See Peng, Y. X., 1719
Dai, L.
—; Ide, K.; Yamaura, K.: Thermal Properties of Solution Flow-Induced PVA Crystals, 1337
Damodaran, S. See Hwang, D.-C., 891
Dan, F. See Vasiliu-Oprea, C., 2575
Daniels, E. S. See He, Y., 1143, 2047
Daren, S. See Muskatell, M., 601
Das, S. See Ghosh, P., 2467
Debling, J. A. See Han-Adebekun, G. C., 373
DeMeuse, M. T.
—; Gillham, J. K.; Parodi, F.: Evolution of Properties of an Isocyanate/Epoxy Thermosetting System During Cure: Continuous Heating (CHT) and Isothermal Time–Temperature–Transformation (TTT) Cure Diagrams, 15
—; Gillham, J. K.; Parodi, F.: Evolution of Properties of a Thermosetting Isocyanate/Epoxy/Glass Fiber Model Composite System with Increasing Cure, 27
Deng, X.
—; Zhu, Z.; Xiong, C.; Zhang, L.: Ring-opening Polymerization of ε-Caprolactone Initiated by Rare Earth Complex Catalysts, 1295
Deng, Y.
—; Martin, G. C.: Effect of Diffusional Limitations on the Gelation of Cyanate Ester Resins, 115
Desimone, J. M. See Li, Y., 883
Dessaux, O. See Jama, C., 699
Dev, D. See Ghosh, P., 2473
Devi, L. U.
—; Bhagawan, S. S.; Thomas, S.: Mechanical Properties of Pineapple Leaf Fiber-Reinforced Polyester Composites, 1739
Diakoumakos, C. D.
—; Mikroyannidis, J. A.: Structural Modification of Polyisophthalamides by Incorporating Dimethylaminoazobenzene Pendent Groups, 921
Dickson, J. M. See Ji, J., 2381
Dieckhoff, S. See Hartwig, A., 1091
Dieška, P. See Barta, Š., 1525
Dillon, J. G.
—; Schroeder, L. W.: Permeability and Material Characteristics of Vulcanized Latex Film during and following Cyclic Fatigue in a Saline Environment, 553
Dimonie, V. L. See Hu, R., 1123
Dineen, M. T. See Jones, M. A., 673
Ding, H. See Zhang, L., 1393
Dittmar, A. See Gähde, J., 2449
Dona, C. L.
—; Green, D. W.; Willhite, G. P.: A Study of the Uptake and Gelation Reactions of Cr(III) Oligomers with Polyacrylamide, 1381
Dotcheva, D. See Doytcheva, M., 2299
Doytcheva, M.
—; Dotcheva, D.; Stamenova, R.; Orahovats, A.; Tsvetanov, Ch.; Leder, J.: Ultraviolet-Induced Crosslinking of Solid Poly(ethylene oxide), 2299
Dubois, P. See Hindryckx, F., 423, 439
Dufresne, A.
—; Cavaillé, J.-Y.; Vignon, M. R.: Mechanical Behavior of Sheets Prepared from Sugar Beet Cellulose Microfibrils, 1185
Duke, D. J. See Poche, D. S., 1613

Eberstein, C. See Sun, J., 203
Ehrenstein, G. W. See Karger-Kocsis, J., 2057
Eisenbach, C. D. See Rosthauser, J. W., 957
El-Aasser, M. S. See He, Y., 1143, 2047; Hu, R., 1123; Leiza, J. R., 1797
Elyashevich, G. K.
—; Kozlov, A. G.; Gospodinova, N.; Mokreva, P.; Terlemezyan, L.: Combined Polyethylene–Polyaniline Membranes (note), 2665
Ersoz, M.
—; Yigitoglu, M.; Ayar, A.: The Study of Kinetic Models for Ligand Exchange of Anions as Ligands Using Ligand-Exchange Resin, 1225
Eskins, K. See Cunningham, R. L., 1355
Esmail, M. N. See Ghannam, M. T., 289

Falkenhagen, J. See Gähde, J., 2449
Fambri, L. See Pegoretti, A., 213
Fan-Chiang, C.-C. See Yeh, J.-T., 1531
Faulkner, B. J. See Tinetti, S. M., 683
Felker, F. C. See Cunningham, R. L., 1355
Feng, D.-S. See Xie, H.-Q., 329
Feng, L. See Wang, Y., 1843
Feng, W. See Zhu, P., 1463
Feng, Y. See Yuchun, O., 2317
Fernandez-Berridi, M. J. See Miguel, O., 1849
Ferrillo, R. G.
—; Achorn, P. J.: Comparison of Thermal Techniques for Glass Transition Assignment. II. Commercial Polymers, 191

Fisa, B. See Meddad, A., 653
Fischer, Th. See Gähde, J., 2449
Fitch, T. J. See Cook, W. D., 769
Folie, B.
—; Kelchtermans, M.; Shutt, J. R.; Schonemann, H.; Krukonis, V.: Fractionation of Poly(ethylene-*co*-vinyl acetate) in Supercritical Propylene: Towards a Molecular Understanding of a Complex Macromolecule, 2015
Freddi, G. See Tsukada, M., 343
Fritsche, H. See Pötschke, P., 749
Frounchi, M.
Simulation of Viscoelastic Behavior of Glassy Polymers, 971
Fugier, M. See Bas, C., 1041
Fujita, K. See Liu, X., 931
Fujita, M.
—; Kajiyama, M.; Takemura, A.; Ono, H.; Mizumachi, H.; Hayashi, S.: Miscibility between Natural Rubber and Tackifiers. I. Phase Diagrams of the Blends of Natural Rubber with Rosin and Terpene Resins, 2191
Furuhata, K.-I.
—; Kawamoto, M.: Bromination of Silk Fabrics, 2031
Furuzono, T. See Matsumoto, T., 1153

Gähde, J.
—; Fischer, Th.; Falkenhagen, J.; Dittmar, A.; Gnauck, R.: Interaction of Polyurethane Model Compounds with Metal Oxides, 2449
Galland, G. B. See Quijada, R., 2567
Gao, H.
—; Harmon, J. P.: An Empirical Correlation Between Glass Transition Temperatures and Structural Parameters for Polymers with Linear and Branched Alkyl Substituents, 507
Gao, X. See Sun, W., 2309
Gedam, P. H. See Unnikrishnan, G., 2597
Ghannam, M. T.
—; Esmail, M. N.: Rheological Properties of Carboxymethyl Cellulose, 289
Ghosh, P.
—; Bose, N. R.; Mitra, B. C.; Das, S.: Dynamic Mechanical Analysis of FRP Composites Based on Different Fiber Reinforcements and Epoxy Resin as the Matrix Material, 2467
—; Samanta, A. K.; Dev, D.: Simultaneous Free Radical Polymerization and Acidic Polycondensation of Acrylamide-Formaldehyde Resin on Jute Fabric, 2473
Gibson, P.
—; Charmchi, M.: The Use of Volume-Averaging Techniques to Predict Temperature Transients Due to Water Vapor Sorption in Hygroscopic Porous Polymer Materials, 493
Gillespie, J. W., Jr. See McKnight, S. H., 1971
Gillham, J. K. See DeMeuse, M. T., 15, 27; Maddox, S. L., 55; Vallely, A. S., 39; Venditti, R. A., 3
Gnauck, R. See Gähde, J., 2449
Gonsalves, K. E.
—; Rangarajan, S. P.: Synthesis of Homogeneously Dispersed Nanoscale M50-Type Steel Powders via Polymeric Surfactants (note), 2667
Gonzalez-Roa, C. See Perez-Camacho, O., 2519
Gordon, S. H. See Cunningham, R. L., 1355
Gospodinova, N. See Elyashevich, G. K., 2665
Goswami, A. See Baruah, S. D., 2097
Gotcheva, V. See Jankova, K., 2491
Goudmand, P. See Jama, C., 699
Green, D. W. See Dona, C. L., 1381
Grellmann, W. See Che, M., 1079
Gu, A. See Liang, G., 273
Guan, J.-G. See Xie, H.-Q., 1641
Gunatillake, P. A. See Martin, D. J., 803
Guo, J.-S. See Xie, H.-Q., 329, 1641
Guo, Q. See Mi, Y., 1267; Zhong, Z., 399
Guo, S. See Xu, X., 2273
Gupta, S. K. See Ram, G. B. B., 1861
Gupta, V. K.
—; Jain, R. C.; Ravindranathan, M.: Supported Titanium Catalysts Based on Magnesium Dichloride–Silicon Tetraethoxide Adduct for Propylene Polymerization, 1445
Gu, T. See Yin, W., 903, 2293
Güven, O. See Kaptan, H. Y., 1291

Ha, C.-S. See Kim, G.-C., 2605
Hadjichristidis, N. See Liouni, M., 2399
Haider, K. W. See Rosthauser, J. W., 957
Hale, A. See Matsuoka, S., 77
Halley, P. J.
A New Chemorheological Analysis of Highly Filled Thermosets Used in Integrated Circuit Packaging, 95
Hamad, E. Z. See Khan, K. A., 645
Hamid, S. H. See Khan, K. A., 645
Han-Adebekun, G. C.
—; Debling, J. A.; Ray, W. H.: Polymerization of Olefins Through Heterogeneous Catalysis. XVI. Design and Control of a Laboratory Stirred Bed Copolymerization Reactor, 373
Härkönen, M. See Hiltunen, K., 865
Harmon, J. P. See Gao, H., 507
Hartwig, A.
—; Hunnekuhl, J.; Vitr, G.; Dieckhoff, S.; Vohwinkel, F.; Hennemann, O.-D.: Influence of CO_2 Laser Radiation on the Surface Properties of Poly(ether ether ketone), 1091
Haska, S. B.
—; Bayramlý, E.; Pekel, F.; Özkar, S.: Adhesion of an HTPB–IPDI-Based Liner

Elastomer to Composite Matrix and Metal Case, 2355
—; Bayramlý, E.; Pekel, F.; Özkar, S.: Mechanical Properties of HTPB–IPDI-Based Elastomers, 2347
Hatate, Y.
—; Ohta, H.; Uemura, Y.; Ijichi, K.; Yoshizawa, H.: Preparation of Monodispersed Polymeric Microspheres for Toner Particles by the Shirasu Porous Glass Membrane Emulsification Technique, 1107
Haury, I. See Kasehagen, L. J., 107
Häußler, L. See Pospiech, D., 619
Hayashi, S. See Fujita, M., 2191
He, H.
—; He, P.; Xiao, W.; Huang, S.; Cheng, S.: A Study on PVC/LLDPE Blends with Solid-State-Chlorinated Polyethylene as Compatibilizer, 2535
He, L. See Wang, Q., 2089
Hennemann, O.-D. See Hartwig, A., 1091
Henton, D. E.
—; Powell, C.; Reim, R. E.: The Decomposition of Sodium Persulfate in the Presence of Acrylic Acid, 591
—; See Cutié, S. S., 577
He, P. See He, H., 2535
He, Y.
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Elastomeric Films from Structured Latexes, 1143
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Hydrogenation of Styrene–Butadiene Rubber (SBR) Latexes, 2047
Hiltunen, K.
—; Seppälä, J. V.; Härkönen, M.: Lactic Acid Based Poly(ester–urethane)s: The Effects of Different Polymerization Conditions on the Polymer Structure and Properties, 865
Hindryckx, F.
—; Dubois, P.; Jerome, R.; Teyssie, P.; Marti, M. G.: Polymerization-Filled Composites Prepared with Highly Active Filler-Supported Al/Ti/Mg Catalysts, II. Properties of Homogeneous Polyethylene-Based Composites, 439
—; Dubois, P.; Jerome, R.; Teyssie, P.; Marti, M. G.: Polymerization-Filled Composites Prepared with Highly Active Filler-Supported Al/Ti/Mg Catalysts, I. Synthesis of Homogeneous Polyethylene-Based Composites, 423
Hnatowicz, V. See Švorčík, V., 723, 2529
Honda, I.
—; Arai, K.; Mitomo, H.: Characterization of Cross-links Introduced in Gelatin, 1879
Hon, D. N.-S. See Tang, L.-G., 1953
Hong, S. K. See Lee, S. H., 1999
Hou, J. See Li, F., 1511
Hsu, P. P. See Xanthos, M., 1423
Hsu, S. L. See Yoon, S., 197
Huang, J. See Wang, Q., 2089
Huang, L.
—; Vasanthan, N.; Tonelli, A. E.: Polymer–Polymer Composites Fabricated by the *In Situ* Release and Coalescence of Polymer Chains from Their Inclusion Compounds with Urea into a Carrier Polymer Phase, 281
Huang, Q. See Shen, Y., 2131
Huang, R. Y. M. See Shieh, J.-J., 855
Huang, S. See He, H., 2535
Huang, S.-L.
—; Lai, J.-Y.: Tensile Property of Modified Hydroxyl-Terminated Polybutadiene-Based Polyurethanes, 1235
Huang, W. J. See Vrentas, J. S., 2007
Huang, Y.
—; Wang, J.; Liao, B.; Chen, M.; Cong, G.: Epoxy Resins Toughened by Poly(propylene carbonate), 2457
Huang, Z. See Luo, Y., 1681, 1691
Huh, M.-W.
—; Yoon, J.-H.: The Decomposition Kinetics of Polyester Microfiber Fabrics by Sodium Glycerolate/Glycerol Solution, 1217
Hung, G.-C. See Lee, W.-F., 1477
Hunnekuhl, J. See Hartwig, A., 1091
Hu, R.
—; Dimonie, V. L.; El-Aasser, M. S.: Preparation and Characterization of Poly(butadiene-*stat*-styrene)/Poly(styrene-*stat*-acrylonitrile) Structured Latex Particles, 1123
Hwang, D.-C.
—; Damodaran, S.: Metal-Chelating Properties and Biodegradability of an Ethylenediaminetetraacetic Acid Dianhydride Modified Soy Protein Hydrogel, 891
Hwang, W.-H.
—; Yoo, K.-Y.; Rhee, H.-K.: Modeling of Bulk Copolymerization Reactor Using Chain-Length-Dependent Rate Constants, 1015

Iannace, S.
—; Nicolais, L.: Isothermal Crystallization and Chain Mobility of Poly(L-lactide), 911
Ide, K. See Dai, L., 1337
Ide, Y. See Inoue, A., 303, 1319
Ijichi, K. See Hatate, Y., 1107
Ikeda, S. See Kubo, J., 311
Ikehara, T. See Lee, J.-C., 797
Inagaki, N.
—; Tasaka, S.; Kawai, H.; Yamada, Y.: Surface Modification of Aromatic Polyamide Film by Remote Oxygen Plasma, 831
—; Tasaka, S.; Makino, M.: Plasma Polymer Deposition from Mixture of Tetramethoxysilane and Oxygen on PET Films and their Oxygen Gas Barrier Properties, 1031
Inoue, A.
—; Ide, Y.; Oda, H.: Influence of Dilution by Polydimethylsiloxane on Electrorheological Effect of Side-Chain Liquid

Crystalline Polysiloxane, 1319
—; Maniwa, S.; Ide, Y.: Relation Between Molecular Structure and Electrorheological Effects in Liquid Crystalline Polymers, 303
Iruin, J. J. See Miguel, O., 1849
Isik-Yuruksoy, B. See Senel, S., 1775
Ito, A. See Okubo, M., 1947
Ito, T. See Tsuzumi, H., 389

Jain, R. C. See Gupta, V. K., 1445
Jama, C.
—; Asfardjani, K.; Dessaux, O.; Goudmand, P.: Barrier Behavior Hindering Zn^{++} Diffusion from Cold Remote Nitrogen Plasma-Deposited Silicon Films, 699
Jang, J. See Kim, H., 2585
Janke, A. See Pospiech, D., 619
Jankova, K.
—; Kamenski, D.; Gotcheva, V.; Koffinov, P.: Hydroxyl-Terminated Polybutadiene. I. A Study of the Polymerization of Butadiene in the Presence of Hydrogen Peroxide, 2491
Jankovskij, O. See Švorčík, V., 723
Jean, C.-S. See Chen, Y., 1749, 1759
Jelínková, M. See Krakovský, I., 2141
Jeong, H. M. See Ahn, T. O., 2363
Jeong, J.-G. See Kim, G.-C., 2605
Jerome, R. See Hindryckx, F., 423, 439
Ji, J.
—; Trushinski, B. J.; Childs, R. F.; Dickson, J. M.; McCarry, B. E.: Fabrication of Thin-Film Composite Membranes with Pendant, Photoreactive Diazoketone Functionality, 2381
Jimenez, G.
—; Ogata, N.; Kawai, H.; Ogihara, T.: Structure and Thermal/Mechanical Properties of Poly(ϵ-caprolactone)–Clay Blend, 2211
Jin, C. See Yuchun, O., 2317
Jin, D. See Wei, Y., 1893
Joardar, S. S. See Srinivasan, S. A., 179
Johnston, K. P. See Mawson, S., 2105
Jones, M. A.
—; Carriere, C. J.; Dineen, M. T.; Balwinski, K. M.: Failure and Deformation Studies of Syndiotactic Polystyrene, 673
Joshi, M. D.
—; Sarkar, A.; Yemul, O. S.; Wadgaonkar, P. P.; Lonikar, S. V.; Maldar, N. N.: Synthesis and Characterization of Silicon-Containing Cardo Polyesters, 1329
Jo, W. H. See Yu, Y. C., 2155
Juhué, D. See Marion, P., 2409
Jung, H.-J. See Koh, S.-K., 1913
Jung, S. See Ahn, T. O., 2363

Kahraman, R. See Khan, K. A., 645
Kaiser, M. See Walker, M., 717
Kajiyama, M. See Fujita, M., 2191
Kamenski, D. See Jankova, K., 2491
Kanakia, S. See Mawson, S., 2105
Kanellopoulos, N. See Steriotis, Th., 2323
Kang, E. T. See Neoh, K. G., 519
Kantake, Y. See Tomoi, M., 1161
Kaptan, H. Y.
—; Güven, O.: Effect of γ-Irradiation Dose for the Oxygen Diffusion into Polymers, 1291
Karger-Kocsis, J.
—; Varga, J.; Ehrenstein, G. W.: Comparison of the Fracture and Failure Behavior of Injection-Molded α- and β-Polypropylene in High-Speed Three-Point Bending Tests, 2057
Kar, K. K.
—; Bhowmick, A. K.: Hysteresis Loss in Filled Rubber Vulcanizates and Its Relationship with Heat Generation, 1541
Kasai, T. See Tsuzumi, H., 389
Kasehagen, L. J.
—; Cheng, H. N.; Cowan, P. J.: Curing Reactions and Modeling of Silicone–Carbon Resins, 1557
—; Cheng, H. N.; Cowan, P. J.: Statistical Modeling and Monte Carlo Studies of Silicone–Carbon Resins, 607
—; Haury, I.; Macosko, C. W.; Shimp, D. A.: Hydrolysis and Blistering of Cyanate Ester Networks, 107
Kawai, H. See Inagaki, N., 831; Jimenez, G., 2211
Kawamoto, M. See Furuhata, K.-I., 2031
Keiderling, U. See Steriotis, Th., 2323
Kelchtermans, M. See Folie, B., 2015
Kelley, S. S. See Reinsch, V. E., 1785
Khan, K. A.
—; Kahraman, R.; Hamad, E. Z.; Ali, S. A.; Hamid, S. H.: Studies on a Terephthalic Acid and Dihydroxydiphenyl Sulfone Liquid Crystalline Copolymer and Its Composites with Different Thermoplastics, 645
Kim, B. K. See Li, F., 1511; Oh, Y. S., 1937
Kim, D. See Lim, Y. H., 2647
Kim, G.-C.
—; Jeong, J.-G.; Lee, N.-J.; Ha, C.-S.; Cho, W.-J.: Synthesis and Biological Activities of *Endo*-3,6-Epoxy-1,2,3,6-tetrahydrophthalimide and Its Polymers, 2605
Kim, H.
—; Jang, J.: Copper Corrosion Protection of Various Silane-Modified Poly(vinyl imidazole)(1)s, 2585
Kim, H. S. See Lee, C. W., 1595
Kim, J. C. See Cakmak, M., 729
Kim, J.-Y. See Park, N.-H., 2657
Kim, S. C. See Lee, S. S., 941
Kim, S.-R. See Koh, S.-K., 1913
Kim, W. N. See Lee, H. S., 1301
Kinoshita, M. See Takeda, K., 1175
Kishan Prasad, V. S. See Unnikrishnan, G., 2597
Kishida, A. See Matsumoto, T., 1153
Kishino, K. See Kita, Y., 2037

Kita, Y.
—; Kishino, K.; Nakayama, K.; Shimoyama, F.; Yamaguchi, M.: Coloration Mechanism of the Acrylonitrile Solution of *N*-Phenylmaleimide and Its Stabilization Method, 2037
Kitahara, H. See Yamaura, K., 1283
Klein, A. See He, Y., 1143, 2047
Knaebel, K. S. See Lee, S., 455, 477
Knooren, N. See Van Soest, J. J. G., 1411
Koffinov, P. See Jankova, K., 2491
Koh, S.-K.
—; Park, S.-C.; Kim, S.-R.; Choi, W.-K.; Jung, H.-J.; Pae, K. D.: Surface Modification of Polytetrafluoroethylene by Ar^+ Irradiation for Improved Adhesion to Other Materials, 1913
Kostov, G. K.
—; Turmanova, S. C.: Radiation-initiated Graft Copolymerization of 4-vinylpyridine onto Polyethylene and Polytetrafluoroethylene Films and Anion-exchange Membranes Therefrom, 1469
Kou, T. See Sun, S., 267
Kozlov, A. G. See Elyashevich, G. K., 2665
Krakovský, I.
—; Jelínková, M.; Vacík, J.: Elastic and Swelling Behavior of 2-Hydroxyethyl Methacrylate, Diethylene Glycol Methacrylate, and Methacrylic Acid Copolymers, 2141
Kranbeuhl, D. See Srinivasan, S. A., 179
Krause, S. See McEvoy, R. L., 2221
Krukonis, V. See Folie, B., 2015
Kubo, J.
—; Otsuhata, K.; Ikeda, S.; Seguchi, T.: Electron-Induced Crosslinking of Polypropylene with the Addition of Hydrogen-Donating Hydrocarbons, 311
Kubota, H.
—; Kuwabara, S.: Cellulosic Absorbents for Water Synthesized by Grafting of Hydrophilic Vinyl Monomers on Carboxymethyl Cellulose (note), 2259
—; See Tomoi, M., 1161
Kubota, N.
Permeability Properties of Chitosan–Transition Metal Complex Membranes (note), 819
Kucharski, M.
—; Lubczak, R.: Copolymerization of Hydroxyalkyl Methacrylates with Acrylamide and Methacrylamide I. Determination of Reactivity Ratios, 1259
Kumar, S.
—; Pandya, M. V.: Thermally Recoverable Crosslinked Polyethylene, 823
Kumari, M. See Bhadani, S. N., 1073
Kundu, P. P.
—; Tripathy, D. K.: Influence of Filler–Polymer Interactions on the Cure Mismatch of Dissimilar Polymeric Blends, 321
Kunugi, T. See Okuzaki, H., 383
Kuriu, A. See Wang, Y. F., 1403
Kurth, M. J. See Zhou, W.-J., 1001, 1009
Kuwabara, S. See Kubota, H., 2259

Lai, J.-Y. See Huang, S.-L., 1235
Lang, J. See Marion, P., 2409
Lanzini, L. See Bonfanti, C., 1987
Laszlo, J. A. See Šimkovic, I., 2561
Lau, M. See Cook, W. D., 769
Lawther, M. See Rana, A. K., 1517
Leder, J. See Doytcheva, M., 2299
Lee, C. W.
—; Ryu, S. H.; Kim, H. S.: Morphological Changes in Nylon-6/Acrylonitrile–Butadiene–Styrene Reactive Blend, 1595
Lee, D. S. See Lim, Y. H., 2647
Lee, H. S.
—; Kim, W. N.; Burns, C. M.: Determination of the Flory–Huggins Interaction Parameter of Polystyrene–Polybutadiene Blends by Thermal Analysis, 1301
Lee, J. See Ahn, T. O., 2363
Lee, J.-C.
—; Nakajima, K.; Ikehara, T.; Nishi, T.: Conductive-Filler-Filled Poly(ε-caprolactone)/Poly(vinyl butyral) Blends. I. Crystallization Behavior and Morphology, 797
Lee, K. H. See Lee, S. H., 1999
Lee, M. S. See Yu, Y. C., 2155
Lee, N.-J. See Kim, G.-C., 2605
Lee, S.
—; Knaebel, K. S.: Effects of Mechanical and Chemical Properties on Transport in Fluoropolymers. II. Permeation, 477
—; Knaebel, K. S.: Effects of Mechanical and Chemical Properties on Transport in Fluoropolymers. I. Transient Sorption, 455
Lee, S. See Oh, Y. S., 1937
Lee, S. H.
—; Lee, K. H.; Hong, S. K.: Effect of Orientation on the Biodegradability of Uniaxially Stretched Aliphatic Copolyester Films, 1999
—; See Chung, T. C., 567
Lee, S. S.
—; Kim, S. C.: Morphology and Properties of Polydimethylsiloxane-Modified Epoxy Resin, 941
Lee, W.-F.
—; Hung, G.-C.: Thermoreversible Hydrogels. I. Synthesis and Effect of a Hydrophobic Monomer on Swelling Behaviors of Thermoreversible Gels Prepared by Copolymerizing *N*-Alkoxyalkylacrylamide with Butylacrylate, 1477
—; Wu, R.-J.: Superabsorbent Polymeric Materials. II. Swelling Behavior of Crosslinked Poly[sodium acrylate-*co*-3-dimethyl(methacryloyloxyethyl) ammonium propane

sulfonate] in Aqueous Salt Solution, 1701
—; Yeh, P.-L.: Superabsorbent Polymeric Materials. III. Effect of Initial Total Monomer Concentration on the Swelling Behavior of Crosslinked Poly(sodium acrylate) in Aqueous Salt Solution, 2371
Lei, Z.
—; Wang, Y.: Synthesis and Fluorescence Properties of Terbium–Polybis(benzylsulfinyl) Ethane Complexes, 1575
—; See Yang, M., 1657
Leiza, J. R.
—; Sudol, E. D.; El-Aasser, M. S.: Preparation of High Solids Content Poly(*n*-butyl acrylate) Latexes Through Miniemulsion Polymerization, 1797
Liang, G.
—; Gu, A.: New Bismaleimide Resin with Improved Tack and Drape Properties for Advanced Composites, 273
Liang, Y. See Li, H., 2149
Liao, B. See Huang, Y., 2457
Liau, W. B. See Wu, W. B., 411
Li, C. See Li, H., 2149
Li, F.
—; Zhang, X.; Hou, J.; Xu, M.; Luo, X.; Ma, D.; Kim, B. K.: Studies on Thermally Stimulated Shape Memory Effect of Segmented Polyurethanes, 1511
—; See Luo, X., 2433
Li, H.
—; Shi, G.; Ye, W.; Li, C.; Liang, Y.: Polypyrrole–Carbon Fiber Composite Film Prepared by Chemical Oxidative Polymerization of Pyrrole, 2149
Li, J. See Yin, W., 903, 2293
Li, M.
—; Xie, Z.; Chen, X.; Li, S.: Studies on Water-Swellable Elastomers. II. Thermal Properties and Crystalline Behavior of Amphiphilic Graft Copolymers with Poly(ethylene glycol) Side Chains, 2441
Lim, Y. H.
—; Kim, D.; Lee, D. S.: Drug Releasing Characteristics of Thermo- and pH-sensitive Interpenetrating Polymer Networks Based on Poly(*N*-isopropylacrylamide), 2647
Lin, L.
—; Yao, Y.; Yoshioka, M.; Shiraishi, N.: Molecular Weights and Molecular Weight Distributions of Liquefied Wood Obtained by Acid-Catalyzed Phenolysis, 351
Lin, Y.-C.
—; Tsiang, R. C.-C.: Using Heavy Ethers as Structure Modifiers in the Synthesis of SBS Block Copolymers in Cyclohexane, 2543
Liouni, M.
—; Touloupis, C.; Hadjichristidis, N.: Modification of Woolen Fabrics through Grafting with Methacrylic Esters, 2399
Li, R. K. Y. See Tjong, S. C., 707
Li, S. See Li, M., 2441
Liu, H. See Yin, W., 2293
Liu, H.-T. See Liu, J.-H., 849
Liu, J.-H.
—; Liu, H.-T.: Preparation and Characterization of Light-Focusing Plastic Rod by Swollen-Gel Polymerization, 849
Liu, L. See Zhang, Q., 2127
Liu, T.
—; Mo, Z.; Wang, S.; Zhang, H.; Wang, J.; Na, H.; Wu, Z.: Crystallization Behavior of A Novel Poly(aryl ether ketone): PEDEKmK, 1451
Liu, X.
—; Nomura, M.; Fujita, K.: Thermodynamic Correlation of Partial and Saturation Swelling of Styrene–Acrylonitrile Copolymer Particles by Styrene and Acrylonitrile Monomers, 931
Liu, Z. S.
—; Rempel, G. L.: Preparation of Superabsorbent Polymers by Crosslinking Acrylic Acid and Acrylamide Copolymers, 1345
Li, Y.
—; Desimone, J. M.; Poon, C.-D.; Samulski, E. T.: Photoinduced Graft Polymerization of Styrene onto Polypropylene Substrates, 883
Li, Y. See Yin, W., 2293
Li, Y. J. See Wang, Y. F., 1403
Li, Z. See Zhu, P., 1463
Lonikar, S. V. See Joshi, M. D., 1329
Lu, F. See Sun, W., 2309
Lu, J. See Wang, Y., 1275
Lu, L. See Yang, Y., 1585
Lubczak, R. See Kucharski, M., 1259
Lunt, B. M.
—; Merrell, R. S.; Strong, A. B.; Cox, M. R.: Electrical Sensing of Shelf-Cure Properties of Polymeric Prepreg Materials, 337
Luo, G. See Niang, M., 875
Luo, X.
—; Zhang, X.; Wang, M.; Ma, D.; Xu, M.; Li, F.: Thermally Stimulated Shape-Memory Behavior of Ethylene Oxide–Ethylene Terephthalate Segmented Copolymer, 2433
—; See Li, F., 1511
Luo, Y.
—; Weng, Z.; Huang, Z.; Pan, Z.: A Model of the Gel Fraction of Polymer in the Vinyl Chloride/Divinyl Monomers Suspension Copolymerization, 1681
—; Weng, Z.; Huang, Z.; Pan, Z.: Modeling of Effective Crosslinking Density of the Gel in Free-Radical Copolymerization of Vinyl/Divinyl Monomers, 1691

MacKnight, W. J. See Yoon, S., 197
Macosko, C. W. See Kasehagen, L. J., 107
Ma, D. See Li, F., 1511; Luo, X., 2433
Maddox, S. L.
—; Gillham, J. K.: Isothermal Physical Aging of a Fully Cured Epoxy–Amine Thermosetting System, 55
Maiti, S. See Mandal, R., 1211

Makino, M. See Inagaki, N., 1031
Maldar, N. N. See Joshi, M. D., 1329
Mandal, R.
—; Maiti, S.: A New Rigid Rodlike Colored Poly(amide hydrazide): Thermal, Optical Anisotropic, and Mechanical Behavior, 1211
Maniwa, S. See Inoue, A., 303
Manoochehri, S. See Mottahed, B. D., 1667
Marion, P.
—; Beinert, G.; Juhué, D.; Lang, J.: Core–Shell Latex Particles Containing a Fluorinated Polymer in the Shell. I. Film Formation Studied by Fluorescence Nonradiative Energy Transfer, 2409
Marti, M. G. See Hindryckx, F., 423, 439
Martin, D. J.
—; Meijs, G. F.; Gunatillake, P. A.; McCarthy, S. J.; Renwick, G. M.: The Effect of Average Soft Segment Length on Morphology and Properties of a Series of Polyurethane Elastomers. II. SAXS-DSC Annealing Study, 803
Martin, G. C. See Deng, Y., 115
Maruyama, I. See Matsumoto, T., 1153
Masson, E.
—; Pizzi, A.; Merlin, M.: Comparative Kinetics of the Induced Radical Autocondensation of Polyflavonoid Tannins. II. Flavonoid Units Effects, 243
Matsumoto, T.
—; Uchida, T.; Kishida, A.; Furuzono, T.; Maruyama, I.; Akashi, M.: Novel Functional Polymers: Poly(dimethylsiloxane)-Polyamide Multiblock Copolymer. VII. Oxygen Permeability of Aramid-Silicone Membranes in a Gas-Membrane-Liquid System, 1153
Matsuoka, S.
—; Hale, A.: Cooperative Relaxation Processes in Polymers, 77
Mauler, R. S. See Quijada, R., 2567
Mavridis, H. See Ramkumar, D. H. S., 2177
Mawson, S.
—; Kanakia, S.; Johnston, K. P.: Coaxial Nozzle for Control of Particle Morphology in Precipitation with a Compressed Fluid Antisolvent, 2105
McCarry, B. E. See Ji, J., 2381
McCarthy, S. J. See Martin, D. J., 803
McEvoy, R. L.
—; Krause, S.: Impact Strength and Fracture Surfaces of Interfaces Between Polyethylene and Polypropylene and Some Ethylene-Containing Copolymers, 2221
McGrath, J. E. See Srinivasan, S. A., 167, 179
McHugh, A. J. See Bushman, A. C., 2165
McKnight, S. H.
—; Gillespie, J. W., Jr.: *In-situ* Examination of Water Diffusion to the Polypropylene–Silane Interface Using FTIR-ATR, 1971
Meddad, A.
—; Fisa, B.: Stress–Strain Behavior and Tensile Dilatometry of Glass Bead-Filled Polypropylene and Polyamide 6, 653
Mehrabzadeh, M.
—; Burford, R. P.: Effect of Crosslinking on Polyamide 11/Butadiene-Acrylonitrile Copolymer Blends, 1605
Meijs, G. F. See Martin, D. J., 803
Mélé, P. See Albérola, N. D., 1053
Merlin, M. See Masson, E., 243
Merrell, R. S. See Lunt, B. M., 337
Meyer, E. See Pospiech, D., 619
Mi, Y.
—; Chen, X.; Guo, Q.: Bamboo Fiber-reinforced Polypropylene Composites: Crystallization and Interfacial Morphology, 1267
Miček, I. See Švorčík, V., 723
Migliaresi, C. See Pegoretti, A., 213
Miguel, O.
—; Fernandez-Berridi, M. J.; Iruin, J. J.: Survey on Transport Properties of Liquids, Vapors and Gases in Biodegradable Poly(3-Hydroxybutyrate) (PHB), 1849
Mikroyannidis, J. A. See Diakoumakos, C. D., 921; Spiliopoulos, I. K., 1135
Mikroyannidis, J. A. See Spiliopoulos, I. K., 1135
Min, S. K. See Oh, Y. S., 1937
Mistry, B. B.
—; Patel, R. G.; Patel, V. S.: Synthesis and Characterization of Photochromic Homopolymer/Copolymer, 841
Mitomo, H. See Honda, I., 1879
Mitra, B. C. See Ghosh, P., 2467
Mitra, B. C. See Rana, A. K., 1517
Mitropoulos, A. Ch. See Steriotis, Th., 2323
Mizoguchi, K. See Yamasaki, A., 1061
Mizumachi, H. See Fujita, M., 2191
Mo, Z. See Liu, T., 1451
Mokreva, P. See Elyashevich, G. K., 2665
Mondragon, I. See Corcuera, M. A., 157
Morabito, P. L. See Poche, D. S., 1613
Mottahed, B. D.
—; Manoochehri, S.: Material and Geometry Factors in Joint Design of Electronic Equipment to Minimize Electromagnetic Interference, 1667
Mülhaupt, R. See Warth, H., 231
Murthy, N. S.
—; Bednarczyk, C.; Rim, P. B.; Nelson, C. J.: Measurement of Amorphous Orientation in Poly(ethylene terephthalate) Fibers by X-Ray Diffraction and Its Significance, 1363
Muskatell, M.
—; Utevski, L.; Shenker, M.;

Daren, S.; Peled, M.; Charit, Y.: Flame Retardant Polypropylene Fibers with Good Dyeability, 601

Na, H. See Liu, T., 1451
Nakajima, K. See Lee, J.-C., 797
Nakamura, M. See Okubo, M., 1947
Nakane, K.
—; Suzuki, F.: Preparation of Silica/Poloxamer Composite by Sol–Gel Process and Pore Control of Silica Gel Obtained from the Composite, 763
Nakashima, A. See Shirataki, H., 2631
Nakaya, T. See Wang, Y. F., 1403
Nakayama, K. See Kita, Y., 2037
Narayan, R. See Crivello, J. V., 2073
Nardin, M. See Brogly, M., 1903
Narkis, M. See Breuer, O., 1097
Naskar, N. See Biswas, T., 2623
Natova, M. M. See Cheshkov, V. M., 1255
Natu, H. P. See Radhakrishnan, S., 1247
Navarro-Rodriguez, D. See Perez-Camacho, O., 2519
Nelson, C. J. See Murthy, N. S., 1363
Nelson, R. M. See Tinetti, S. M., 683
Neoh, K. G.
—; Young, T. T.; Kang, E. T.; Tan, K. L.: Structural and Mechanical Degradation of Polypyrrole Films Due to Aqueous Media and Heat Treatment and the Subsequent Redoping Characteristics, 519
Niang, M.
—; Luo, G.; Schaetzel, P.: Pervaporation Separation of Methyl *tert*-Butyl Ether/Methanol Mixtures Using a High-Performance Blended Membrane, 875
Nicolais, L. See Iannace, S., 911
Nishi, T. See Lee, J.-C., 797
Nomura, M. See Liu, X., 931
Novotná, M. See Švorčík, V., 2529

Öchsner, R. See Švorčík, V., 723
Oda, H. See Inoue, A., 1319
Ogata, N. See Jimenez, G., 2211
Ogihara, T. See Jimenez, G., 2211
Oh, Y. S.
—; Lee, S.; Min, S. K.; Kim, B. K.: Modified Polyacrylonitrile Blends with Cellulose Acetate: Fibers' Properties, 1937
Ohta, H. See Hatate, Y., 1107
Okajima, K. See Shirataki, H., 2631
Okubo, M.
—; Nakamura, M.; Ito, A.: Influence of the Kind of Alkali on the Preparation of Multihollow Polymer Particles by the Alkali/Cooling Method, 1947
Okuzaki, H.
—; Kunugi, T.: Adsorption-Induced Chemomechanical Behavior of Polypyrrole Films, 383
Oliveira, C. M. F. See Costa, D. A., 1635
Omari, A. See Sigale, K., 1067
O'Neill, S. A. See Bielinski, D. M., 1927
Ono, H. See Fujita, M., 2191
Orahovats, A. See Doytcheva, M., 2299
Otsuhata, K. See Kubo, J., 311
Özkar, S. See Haska, S. B., 2347, 2355

Pae, K. D. See Koh, S.-K., 1913
Pan, Z. See Luo, Y., 1681, 1691
Panayiotou, C. See Tselios, Ch., 983
Panda, B. B. See Samal, R. K., 2283
Pandya, M. V. See Kumar, S., 823
Park, N.-H.
—; Suh, K.-D.; Kim, J.-Y.: Preparation of UV-Curable PEG-Modified Urethane Acrylate Emulsions and Their Coating Properties. II. Effect of Chain Length of Polyoxyethylene, 2657
Park, S.-C. See Koh, S.-K., 1913
Parodi, F. See DeMeuse, M. T., 15, 27
Pascault, J. P. See Cheikhalard, T., 1029; Yang, Y. S., 133, 147
Patel, R. G. See Mistry, B. B., 841
Patel, V. S. See Mistry, B. B., 841
Patra, M.
—; Sinha, B. K.: Effect of Organized Anionic Surfactant System on the Kinetics of V(V)-Organic Substrate-Initiated Polymerization of Acrylonitrile, 1825
Pegoretti, A.
—; Fambri, L.; Migliaresi, C.: *In Vitro* Degradation of Poly(L-lactic acid) Fibers Produced by Melt Spinning, 213
Pekel, F. See Haska, S. B., 2347, 2355
Peled, M. See Muskatell, M., 601
Peng, Y. X.
—; Dai, H. S.; Cun, L. F.: Cationic Copolymerization of 1,3-Pentadiene with *endo*-Dicyclopentadiene, 1719
Peppas, N. A. See Sahlin, J. J., 547
Pereña, J. M. See Cerrada, M. L., 791
Perez-Camacho, O.
—; Gonzalez-Roa, C.; Navarro-Rodriguez, D.; Zaragoza Contreras, D.: Preparation of Hydroxyl-Functionalized SEBS for *In Situ* Graft Reaction Compatibilizing Agents, 2519
Pethrick, R. A. See Bielinski, D. M., 1927
Pizzi, A. See Masson, E., 243
Poche, D. S.
—; Brown, R. J.; Morabito, P. L.; Tamilarasan, R.; Duke, D. J.: Use of Laboratory Robotics for Gel Permeation Chromatography Sample Preparation: Automation of High-Temperature Polymer Dissolution, 1613
Poon, C.-D. See Li, Y., 883
Pospiech, D.
—; Häußler, L.; Meyer, E.; Janke, A.; Vogel, R.: LC Multiblock Copolymers Containing Polysulfone Segments. II. Material Properties, 619
Pötschke, P.
—; Wallheinke, K.; Fritsche, H.; Stutz, H.: Morphology and

Properties of Blends with Different Thermoplastic Polyurethanes and Polyolefines, 749
Powell, C. See Cutié, S. S., 577; Henton, D. E., 591
Priddy, D. B. See Tinetti, S. M., 683
Prinos, J. See Tselios, Ch., 983
Pucciariello, R.
Equilibrium Melting Temperatures of Tetrafluoroethylene–Perfluoroalkylvinylether Copolymers (note), 407

Qi, L.-Y. See Sheng, J., 2265
Qiu, K.-Y. See Yang, X.-M., 1169
Quijada, R.
—; Rojas, R.; Mauler, R. S.; Galland, G. B.; Scipioni, R. B.: Study of the Effect of the Monomer Pressure on the Copolymerization of Ethylene with 1-Hexene, 2567

Rabello, M. S.
—; White, J. R.: Photodegradation of Polypropylene Containing a Nucleating Agent, 2505
Radhakrishnan, S.
—; Tapale, M.; Shah, N.; Rairkar, E.; Shirodkar, V.; Natu, H. P.: Effect of β-Phase Nucleating Additives on Structure and Properties of Blow Extruded Polypropylene, 1247
Rairkar, E. See Radhakrishnan, S., 1247
Ram, G. B. B.
—; Gupta, S. K.; Saraf, D. N.: Free-Radical Polymerizations Associated with the Trommsdorff Effect Under Semibatch Reactor Conditions. IV. On-Line Inferential-State Estimation, 1861
Rama, H. S. See Rawat, B., 2421
Ramkumar, D. H. S.
—; Caruthers, J. M.; Mavridis, H.; Shroff, R.: Computation of the Linear Viscoelastic Relaxation Spectrum from Experimental Data, 2177
Rana, A. K.
—; Basak, R. K.; Mitra, B. C.; Lawther, M.; Banerjee, A. N.: Studies of Acetylation of Jute Using Simplified Procedure and Its Characterization, 1517
Rangarajan, S. P. See Gonsalves, K. E., 2667
Rao, Q.
—; Yao, S.: Factor Analysis for Dynamic Mechanical Spectroscopy of Polymer Blends, 2067
Ratto, J. A. See Stenhouse, P. J., 2613
Räuchle, E. See Walker, M., 717
Ravindranathan, M. See Gupta, V. K., 1445
Rawat, B.
—; Rama, H. S.: Copolymerization of Benzidine with Anilines: A Comparative Study, 2421
Ray, M. C. See Samal, R. K., 2119
Ray, W. H. See Han-Adebekun, G. C., 373
Reichelt, N. See Schulze, U., 527
Reichert, K.-H. See Sun, J., 203
Reim, R. E. See Cutié, S. S., 577; Henton, D. E., 591
Reinsch, V. E.
—; Kelley, S. S.: Crystallization of Poly(hydroxybutyrate-*co*-hydroxyvalerate) in Wood Fiber-Reinforced Composites, 1785
Rempel, G. L. See Liu, Z. S., 1345
Ren, L. See Zhang, Q., 2127
Renwick, G. M. See Martin, D. J., 803
Rhee, H.-K. See Hwang, W.-H., 1015
Riccardi, C. C. See Corcuera, M. A., 157
Rim, P. B. See Murthy, N. S., 1363
Rios, P.
—; Bertorello, H.: Surface Modification of Polyvinyl Chloride with Biodegradable Monomers, 1195
Rojas, R. See Quijada, R., 2567
Rolla, P. A. See Angiolini, L., 2247
Rosthauser, J. W.
—; Haider, K. W.; Steinlein, C.; Eisenbach, C. D.: Mechanical and Dynamic Mechanical Properties of Polyurethane and Polyurethane/Polyurea Elastomers Based on 4,4′-Diisocyanatodicyclohexyl Methane, 957
Rout, S. K. See Samal, R. K., 2283
Ruckh, M. See Walker, M., 717
—; Rybka, V.; Hnatowicz, V.; Novotná, M.; Vognar, M.: Electron Beam Modification of Polyethylene and Polystyrene, 2529
Rybka, V. See Švorčík, V., 723, 2529
Ryssel, H. See Švorčík, V., 723
Ryu, S. H. See Lee, C. W., 1595

Sahlin, J. J.
—; Peppas, N. A.: Monte Carlo Simulations of Grafted Chains at Interfaces, 547
Sahu, G. C. See Bhadani, S. N., 1073
Samal, R. K.
—; Ray, M. C.: Effect of Chemical Modifications on FTIR Spectra. III. Physicochemical Behavior of Pineapple Leaf Fiber (PALF), 2119
—; Rout, S. K.; Panda, B. B.: Vinyl-ester-participated Transesterification and Curing on the Physicochemical Behavior of Coir-IV., 2283
Samanta, A. K. See Ghosh, P., 2473
Samulski, E. T. See Li, Y., 883
Şanli, O. See Asman, G., 1115; Ünal, H. I., 1437
Saraf, D. N. See Ram, G. B. B., 1861
Sarkar, A. See Joshi, M. D., 1329
Sato, K. See Shirataki, H., 2631
Schaetzel, P. See Niang, M., 875
Schätzle, J. See Warth, H., 231
Schellenberg, J.
Properties of the Polyethylene/Poly(2,6-dimethyl-1,4-phenylene ether)/Polystyrene System in the Presence of SEPS Block Copolymers, 1835
Schmidt, H.-W. See Schulze, U., 527
Schneider, N. S. See Stenhouse, P. J., 2613

Schock, H. W. See Walker, M., 717
Schonemann, H. See Folie, B., 2015
Schroeder, L. W. See Dillon, J. G., 553
Schultz, J. See Brogly, M., 1903
Schulze, U.
—; Skrifvars, M.; Reichelt, N.; Schmidt, H.-W.: Modification of Unsaturated Polyesters by Poly(ethylene glycol) End Groups, 527
Scipioni, R. B. See Quijada, R., 2567
Seguchi, T. See Kubo, J., 311
Seidler, S. See Che, M., 1079
Senel, S.
—; Isik-Yuruksoy, B.; Cicek, H.; Tuncel, A.: Thermoresponsive Isopropylacrylamide–Vinylpyrrolidone Copolymer by Radiation Polymerization, 1775
Sen Gupta, S. K. See Bhadani, S. N., 1073
Seo, Y.
Interfacial Adhesion and Deformation of Thermotropic Liquid Crystal Polymers in Engineering Thermoplastics: Blends of a Poly(ester amide) with Nylon 6 and a Polyester with PBT, 359
Seppälä, J. V. See Hiltunen, K., 865
Seretoudi, G. See Sideridou-Karayannidou, I., 1815
Shah, N. See Radhakrishnan, S., 1247
Shailaja, D.
—; Ahmed, S. M.; Yaseen, M.: Comparative Study of Release Kinetics of Pheromone from Polymer Dispensers, 1373
Sheng, J.
—; Qi, L.-Y.; Yuan, X.-B.; Shen, N.-X.; Bian, D.-C.: Blends of Polypropylene with Poly(*cis*-butadiene) Rubber. I. Phase Structure and Morphology of Blends, 2265
Shenker, M. See Muskatell, M., 601
Shen, L. See Shen, Y., 2131
Shen, N.-X. See Sheng, J., 2265
Shen, Y.
—; Shen, Z.; Zhang, Y.; Huang, Q.; Shen, L.; Yuan, H.: Random Copolymerization of ϵ-Caprolactone and Trimethylene Carbonate With Rare Earth Catalysts, 2131
Shen, Y. See Yang, M., 1657
Shen, Z. See Shen, Y., 2131
Shieh, J.-J.
—; Huang, R. Y. M.: Preparation of *N*-Methylol Nylon-6 Membranes for Pervaporation of Ethanol–Water Mixtures, 855
Shi, G. See Li, H., 2149
Shi, M.-M.
—; Chen, H.-Z.; Wang, M.: Preparation and Photoconductivity of Ethylenediamine-Bridged Iron Phthalocyanine Polymer $[PcFe(eda)]_n$, 1769
Shimoyama, F. See Kita, Y., 2037
Shimp, D. A. See Kasehagen, L. J., 107
Shinbo, T. See Yamasaki, A., 1061
Shiozaki, H. See Tsukada, M., 343
Shiraishi, N. See Lin, L., 351
Shirataki, H.
—; Nakashima, A.; Sato, K.; Okajima, K.: Correlation Between Tensile Properties and Network Draw Ratio for Poly(ethylene terephthalate) Fibers with Wide Range of Molecular Orientation and Crystallinity, 2631
Shirodkar, V. See Radhakrishnan, S., 1247
Shirodkar, V. S. See Bodhane, S. P., 225
Shroff, R. See Ramkumar, D. H. S., 2177
Shutt, J. R. See Folie, B., 2015
Sideridou-Karayannidou, I.
—; Seretoudi, G.: Copolymers of *N*-Vinylcarbazole and *N,N*-Dimethylaminoethyl Methacrylate, 1815
Siegmann, A. See Breuer, O., 1097
Sigale, K.
—; Omari, A.: Aspects of Crosslinking Sulfonated Polyacrylamides from Rheological Studies on Their Gels, 1067
Silva, E. P. See Costa, D. A., 1635
Šimkovic, I.
—; Laszlo, J. A.: Preparation of Ion Exchangers from Bagasse by Crosslinking with Epichlorohydrin–NH_4OH or Epichlorohydrin–Imidazole, 2561
Simon, G. P. See Cook, W. D., 769
Simon, S. L. See Zacharia, R. E., 127
Sinha, B. K. See Patra, M., 1825
Sisto, R. See Bonfanti, C., 1987
Skrifvars, M. See Schulze, U., 527
Slusarski, L. See Bielinski, D. M., 1927
Smith, P. B. See Cutié, S. S., 577
Smith-Palmer, T. See Angle, C. W., 783
Spiliopoulos, I. K.
—; Mikroyannidis, J. A.: Crosslinkable Polyesters Containing Styrylpyridine Segments, 1135
Sreenivasan, K.
Absorption Characteristics of a Novel Semi-IPN Membrane Based on β-Cyclodextrin Toward Testosterone and Progesterone, 1811
Srinivasan, S. A.
—; Joardar, S. S.; Kranbeuhl, D.; Ward, T. C.; McGrath, J. E.: Amorphous Phenolphthalein-Based Poly(arylene ether)-Modified Cyanate Ester Networks: Microwave Processing, 179
—; McGrath, J. E.: Amorphous Phenolphthalein-Based Poly(arylene ether)-Modified Cyanate Ester Networks: Effect of Thermal Cure Cycle on Morphology and Toughenability, 167
St. Clair, A. K. See Boggess, R. K., 1309
Stamenova, R. See Doytcheva, M., 2299

Staples, T. L. See Cutié, S. S., 577
Steinlein, C. See Rosthauser, J. W., 957
Stenhouse, P. J.
—; Ratto, J. A.; Schneider, N. S.: Structure and Properties of Starch/Poly(ethylene-*co*-vinyl alcohol) Blown Films, 2613
Steriotis, Th.
—; Beltsios, K.; Mitropoulos, A. Ch.; Kanellopoulos, N.; Tennison, S.; Wiedenman, A.; Keiderling, U.: On the Structure of an Asymmetric Carbon Membrane with a Novolac Resin Precursor, 2323
Sternstein, S. S. See Crivello, J. V., 2073
Stoakley, D. M. See Boggess, R. K., 1309
Strong, A. B. See Lunt, B. M., 337
Stutz, H. See Pötschke, P., 749
Su, K. S. See Wang, L. F., 539
Sudol, E. D. See Leiza, J. R., 1797
Suh, K.-D. See Park, N.-H., 2657
Sun, J.
—; Eberstein, C.; Reichert, K.-H.: Particle Growth Modeling of Gas Phase Polymerization of Butadiene, 203
Sun, S.
—; Kou, T.; Zhu, H.: A Study on Bioelectret Collagen, 267
Sun, W.
—; Gao, X.; Lu, F.: Synthesis and Properties of Poly-Schiff Base Containing Bisthiazole Rings, 2309
Suzuki, F. See Nakane, K., 763
Švorčík, V.
—; Rybka, V.; Hnatowicz, V.; Miček, I.; Jankovskij, O.; Öchsner, R.; Ryssel, H.: Degradation of Polyimide by Implantation with Ar^+ Ions, 723

Takayama, S. See Takeda, K., 1175
Takeda, K.
—; Amemiya, F.; Kinoshita, M.; Takayama, S.: Flame Retardancy and Rearrangement Reaction of Polyphenylene-ether/Polystyrene Alloy, 1175
Takemura, A. See Fujita, M., 2191
Tamilarasan, R. See Poche, D. S., 1613
Tan, K. L. See Neoh, K. G., 519
Tang, L.-G.
—; Hon, D. N.-S.; Zhu, Y.-Q.: An Investigation in Solution Acetylation of Cellulose by Microscopic Techniques, 1953
Tanigami, T. See Yamaura, K., 1283
Tapale, M. See Radhakrishnan, S., 1247
Tartakovskaya, L. See Wei, Y., 1893
Tasaka, S. See Inagaki, N., 831, 1031
Tavares, M. I. B. See Costa, D. A., 1635
Taylor, L. T. See Boggess, R. K., 1309
Tchoudakov, R. See Breuer, O., 1097
Tennison, S. See Steriotis, Th., 2323
Terlemezyan, L. See Elyashevich, G. K., 2665
Teyssie, P. See Hindryckx, F., 423, 439
Thomas, S. See Devi, L. U., 1739; Unnikrishnan, G., 2597
Tidjani, A.
Photo-Oxidation of Polypropylene under Natural and Accelerated Weathering Conditions, 2497
Tighzert, L. See Cheikhalard, T., 1029
Tinetti, S. M.
—; Faulkner, B. J.; Nelson, R. M.; Priddy, D. B.: Approaches to Branched Polystyrene Using Bulk Free-Radical Polymerization, 683
Tjong, S. C.
—; Chen, S. X.; Li, R. K. Y.: Crystallization Kinetics of Compatibilized Blends of a Liquid Crystalline Polymer with Polypropylene, 707
Toi, K. See Tsuzumi, H., 389
Tomoi, M.
—; Yamaguchi, K.; Ando, R.; Kantake, Y.; Aosaki, Y.; Kubota, H.: Synthesis and Thermal Stability of Novel Anion Exchange Resins with Spacer Chains, 1161
Tonelli, A. E. See Huang, L., 281
Toppare, L. See Balci, N., 667
Touloupis, C. See Liouni, M., 2399
Tripathy, D. K. See Kundu, P. P., 321
Trushinski, B. J. See Ji, J., 2381
Tselios, Ch.
—; Bikiaris, D.; Prinos, J.; Panayiotou, C.: Structure and Properties of Blends of Poly(ethylene-*co*-vinyl alcohol) with Poly(styrene-*co*-maleic anhydride), 983
Tsiang, R. C.-C. See Lin, Y.-C., 2543
Tsukada, M.
—; Shiozaki, H.; Freddi, G.; Crighton, J. S.: Graft Copolymerization of Benzyl Methacrylate onto Wool Fibers, 343
Tsuzumi, H.
—; Toi, K.; Ito, T.; Kasai, T.: Relationship Between Thermal Properties and Diffusion Coefficients of Gases for Polyimide Films, 389
Tsvetanov, Ch. See Doytcheva, M., 2299
Tuncel, A. See Senel, S., 1775
Turmanova, S. C. See Kostov, G. K., 1469

Uchida, T. See Matsumoto, T., 1153
Uemura, Y. See Hatate, Y., 1107
Ünal, H. İ.
—; Coşkun, R.; Şanli, O.; Yiğitoğlu, M.: Graft Copolymerization of *n*-Vinyl-2-pyrrolidone on Dimethyl Sulfoxide Pretreated Poly(ethylene terephthalate) Films Using Azobisisobutyronitrile Initiator, 1437
Unnikrishnan, G.
—; Gedam, P. H.; Kishan Prasad, V. S.; Thomas, S.: Separation of *n*-Hexane/Acetone Mixtures by Pervaporation Using Natural Rubber Membranes, 2597

Usmanova, M. M. See Cheshkov, V. M., 1255
Utevski, L. See Muskatell, M., 601
Uyanik, N.
Synthesis and Characterization of Five-Block Copolymers Prepared by Vinyl Pyrrolidinone and a Macro Initiator with Poly(dimethylsiloxane) and Polycaprolactone, 1961

Vacík, J. See Krakovský, I., 2141
Valentini, C. See Bonfanti, C., 1987
Vallely, A. S.
—; Gillham, J. K.: Conversion–Temperature–Property Relationships in Thermosetting Systems: Property Hysteresis Due to Microcracking of an Epoxy/Amine Thermoset–Glass Fiber Composite, 39
Van Soest, J. J. G.
—; Borger, D. B.: Structure and Properties of Compression-Molded Thermoplastic Starch Materials from Normal and High-Amylose Maize Starches, 631
—; Knooren, N.: Influence of Glycerol and Water Content on the Structure and Properties of Extruded Starch Plastic Sheets during Aging, 1411
Varga, J. See Karger-Kocsis, J., 2057
Vasanthan, N. See Huang, L , 281
Vasiliu-Oprea, C.
—; Dan, F.: On the Relation Between Synthesis Parameters and Morphology of Anionic Polycaproamide Obtained in Organic Media. II. Influence of the $Na[O(CH_2)_2OCH_3]_2AlH_2$/Aliphatic Diisocyanates Catalytic Systems, 2575
Vekselman, A. M. See Cheshkov, V. M., 1255
Venditti, R. A.
—; Gillham, J. K.: A Relationship Between the Glass Transition Temperature (T_g) and Fractional Conversion for Thermosetting Systems, 3
Vignon, M. R. See Dufresne, A., 1185
Visser, S. A.
Stabilization of Filled Polysiloxane Elastomers to Cyclic Stress at Elevated Temperature Through Use of Zinc Oxide Fillers, 1499
Vitr, G. See Hartwig, A., 1091
Vogel, R. See Pospiech, D., 619
Vognar, M. See Švorčík, V., 2529
Vohwinkel, F. See Hartwig, A., 1091
Vrentas, C. M. See Vrentas, J. S., 689, 2007
Vrentas, J. S.
—; Vrentas, C. M.: Strain-Coupling Effects in Steady Flows, 689
—; Vrentas, C. M.; Huang, W. J.: Anticipation of Anomalous Effects in Differential Sorption Experiments, 2007

Wadgaonkar, P. P. See Joshi, M. D., 1329
Walker, M.
—; Baumgärtner, K.-M.; Ruckh, M.; Kaiser, M.; Schock, H. W.; Räuchle, E.: XPS and IR Analysis of Thin Barrier Films Polymerized from C_2H_4/CHF_3 ECR-Plasmas, 717
Wallheinke, K. See Pötschke, P., 749
Wan, M. See Yang, M., 1657
Wang, E. C. See Wang, L. F., 539
Wang, F. See Zhang, Q., 2127
Wang, G. See Wang, Y., 1275
Wang, H. See Yang, M., 1657
Wang, J. See Huang, Y., 2457
Wang, J. See Liu, T., 1451
Wang, J. See Yang, M., 1657
Wang, L. See Zhu, P., 1463
Wang, L. F.
—; Su, K. S.; Wang, E. C.; Chen, J. S.: Synthesis and Characterization of Segmented Polyurethanes Containing Aromatic Diol Chain Extenders, 539
Wang, M. See Luo, X., 2433
Wang, M. See Shi, M.-M., 1769
Wang, Q.
—; He, L.; Huang, J.: Supermolecular Structure and Mechanical Properties of P(AN–AM–AA)/PVA Intermacromolecular Complex Formed through Hydrogen Bonding, 2089
Wang, Q. See Zhu, P., 1463
Wang, S. See Liu, T., 1451
Wang, W. See Wei, Y., 1893
Wang, X.
Theoretical Prediction of Physical Properties of Network Glasses versus Extent of Cure, 69
Wang, X. See Yang, Y., 1585
Wang, Y.
—; Lu, J.; Wang, G.: Toughening and Reinforcement of HDPE/$CaCO_3$ Blends by Interfacial Modification–Interfacial Interaction, 1275
—; Wang, Y.; Feng, L.: Preparation and Magnetic Properties of [P(St-*co*-AA)]Ni Microspheres, 1843
Wang, Y. See Lei, Z., 1575
Wang, Y. See Wang, Y., 1843
Wang, Y. F.
—; Chen, T. M.; Kuriu, A.; Li, Y. J.; Nakaya, T.: Studies on Novel Phosphatidylcholine-Modified Acrylamide-Based Hydrogels, 1403
Wang, Z.
—; Chen, T.; Xu, J.: Novel Poly(aryl ether ketone)s Containing Various Pendant Groups. II. Gas-Transport Properties, 1725
Wang, Z. See Xu, X., 2273
Ward, T. C. See Srinivasan, S. A., 179
Warth, H.
—; Mülhaupt, R.; Schätzle, J.: Thermoplastic Cellulose Acetate and Cellulose Acetate Compounds Prepared by Reactive Processing, 231
Watanabe, H.
—; Yamamoto, M.: Laser Ablation of Poly(ethylene terephthalate), 1203
Wei, Y.
—; Wang, W.; Jin, D.; Yang, D.; Tartakovskaya, L.: Synthesis of Sulfonated Polystyrene–Silica Hybrids and Their

Application As Ion Exchange Materials, 1893
Weng, Z. See Luo, Y., 1681, 1691
Wentzell, B. R. See Angle, C. W., 783
White, J. R. See Rabello, M. S., 2505
Wiedenman, A. See Steriotis, Th., 2323
Willhite, G. P. See Dona, C. L., 1381
Williams, R. J. J. See Corcuera, M. A., 157
Wu, J. See Yin, W., 903
Wu, R.-J. See Lee, W.-F., 1701
Wu, S.
—; Xing, J.; Zheng, C.; Xu, G.; Zheng, G.; Xu, J.: Plasma Modification of Aromatic Polyamide Reverse Osmosis Composite Membrane Surface, 1923
Wu, W. B.
—; Chiu, W. Y.; Liau, W. B.: Casting Solvent Effect on Crystallization Behavior of Poly(vinyl acetate)/ Poly(ethylene oxide) Blends: DSC Study, 411
Wu, Z. See Liu, T., 1451

Xanthos, M.
—; Baltzis, B. C.; Hsu, P. P.: Effects of Carbonate Salts on Crystallization Kinetics and Properties of Recycled Poly(ethylene terephthalate), 1423
Xiao, W. See He, H., 2535
Xie, H.-Q.
—; Feng, D.-S.; Guo, J.-S.: Solution Maleation of EPDM and Blending of Acetal Copolymer with Rubber Using Maleated EPDM as Compatibilizer, 329
—; Guan, J.-G.; Guo, J.-S.: Three Ways To Improve Electrorheological Properties of Polyaniline-Based Suspensions, 1641
Xie, Z. See Li, M., 2441
Xing, J. See Wu, S., 1923
Xiong, C. See Deng, X., 1295
Xu, G. See Wu, S., 1923
Xu, J. See Wang, Z., 1725; Wu, S., 1923
Xu, M. See Li, F., 1511; Luo, X., 2433
Xu, X.
—; Guo, S.; Wang, Z.: Effect of Mechanochemical Degradation on Gelation and Mechanical Properties of PVC, 2273

Yamada, Y. See Inagaki, N., 831
Yamaguchi, K. See Tomoi, M., 1161
Yamaguchi, M. See Kita, Y., 2037
Yamamoto, M. See Watanabe, H., 1203
Yamasaki, A.
—; Shinbo, T.; Mizoguchi, K.: Pervaporation of Benzene/ Cyclohexane and Benzene/*n*-Hexane Mixtures Through PVA Membranes, 1061
Yamaura, K.
—; Kitahara, H.; Tanigami, T.: Gelation of Poly(vinyl Alcohol)/Ethylene Glycol Solutions and Properties of Gels, 1283
—; See Dai, L., 1337
Yang, D. See Wei, Y., 1893
Yang, K. See Zhong, Z., 399
Yang, M.
—; Lei, Z.; Wan, M.; Shen, Y.; Wang, J.; Chen, J.; Wang, H.; Ye, T.: π-Conjugated Soluble Palladium Poly-ynes: Synthesis and Fluorescence Properties, 1657
Yang, S.-S. See Yeh, J.-T., 1531
Yang, X. See Yang, Y., 1585
Yang, X.-M.
—; Qiu, K.-Y.: Synthesis of Block Copolymers by Radical Polymerization of End-Functional Polystyrene, 1169
Yang, Y.
—; Yang, X.; Zhi, Z.; Lu, L.; Wang, X.: Preparation and Characterization of 3,3′,4,4′-Benzophenone Tetracarboxylic Dianhydride–Pyromellitic Diahydride Alternating Polyimides, 1585
Yang, Y. S.
—; Pascault, J. P.: Modeling of Unsaturated Polyester Prepolymer Structures. I. Chain Branches and Overall Chain End Numbers, 133
—; Pascault, J. P.: Modeling of Unsaturated Polyester Prepolymer Structures. II. Hydroxyl and Carboxyl Functionalities, 147
Yao, K.-J. See Zhou, W.-J., 1001, 1009
Yao, S. See Rao, Q., 2067
Yao, Y. See Lin, L., 351
Yaseen, M. See Shailaja, D., 1373
Yeh, J.-T.
—; Fan-Chiang, C.-C.; Yang, S.-S.: Effects of Composition of Modified Polyamide on Barrier Properties of Polyethylene/Modified Polyamide Blends, 1531
Yeh, P.-L. See Lee, W.-F., 2371
Yemul, O. S. See Joshi, M. D., 1329
Ye, T. See Yang, M., 1657
Ye, W. See Li, H., 2149
Yigitoglu, M. See Ersoz, M., 1225
Yiğitoğlu, M. See Ünal, H. İ., 1437
Yin, J. See Zhang, X., 1489
Yin, W.
—; Li, J.; Wu, J.; Gu, T.: Silicon Secondary Crosslinked IPN Based on Poly(methyl acrylate-*co*-acrylic acid) and SiO_2, 903
—; Liu, H.; Li, J.; Li, Y.; Gu, T.: Conducting Composite Films Based on Polypyrrole and Crosslinked Poly(styrene–butyl acrylate–hydroxyethyl acrylate), 2293
Yin, Z. See Zhang, X., 1489
Yoo, K.-Y. See Hwang, W.-H., 1015
Yoon, J.-H. See Huh, M.-W., 1217
Yoon, S.
—; MacKnight, W. J.; Hsu, S. L.: End-Group Effect on Chain Conformation of Poly(propylene glycol) and Poly(ethylene glycol), 197
Yoshioka, M. See Lin, L., 351
Yoshizawa, H. See Hatate, Y., 1107
Young, T. T. See Neoh, K. G., 519

Yu, Y. C.
—; Jo, W. H.; Lee, M. S.: Segmented Block Copolyetheramides Based on Nylon 6 and Polyoxypropylene. III. SAXS Analysis, 2155
Yuan, H. See Shen, Y., 2131
Yuan, X.-B. See Sheng, J., 2265
Yuchun, O.
—; Feng, Y.; Jin, C.: Interfacial Interaction and Mechanical Properties of Nylon 6–Potassium Titanate Composites Prepared by *In-situ* Polymerization, 2317

Zacharia, R. E.
—; Simon, S. L.: Effect of Catalyst on the Thermal Degradation of a Polycyanurate Thermosetting System, 127
Zaragoza Contreras, D. See Perez-Camacho, O., 2519
Zhang, H. See Liu, T., 1451
Zhang, J.
The Surface Characterization of Mulberry Silk Grafted with Acrylamide by Plasma Copolymerization, 1713
Zhang, L.
—; Ding, H.: Study on the Properties, Morphology, and Applications of Castor Oil Polyurethane–Poly(methyl methacrylate) IPNs, 1393
Zhang, L. See Deng, X., 1295
Zhang, Q.
—; Liu, L.; Ren, L.; Wang, F.: Preparation and Characterization of Collagen–Chitosan Composites, 2127
Zhang, X.
—; Yin, Z.; Yin, J.: Morphology, Thermal Behavior, and Mechanical Properties of PA1010/PP and PA1010/PP-*g*-GMA Blends, 1489
Zhang, X. See Li, F., 1511
Zhang, X. See Luo, X., 2433
Zhang, Y. See Shen, Y., 2131
Zheng, C. See Wu, S., 1923
Zheng, G. See Wu, S., 1923
Zheng, S. See Zhong, Z., 399
Zhi, Z. See Yang, Y., 1585
Zhong, Z.
—; Zheng, S.; Yang, K.; Guo, Q.: Blends of Poly(vinyl chloride) with Acrylonitrile–Chlorinated Polyethylene–Styrene Copolymer. II. Mechanical Properties, 399
Zhou, W.-J.
—; Yao, K.-J.; Kurth, M. J.: Studies of Crosslinked Poly(AM–MSAS–AA) Gels. I. Synthesis and Characterization, 1001
—; Yao, K.-J.; Kurth, M. J.: Studies of Crosslinked Poly(AM–MSAS–AA) Gels. II. Effects of Polymerization Conditions on the Water Absorbency, 1009
Zhu, H. See Sun, S., 267
Zhu, P.
—; Li, Z.; Wang, Q.; Feng, W.; Wang, L.: Synthesis and Characterization of Photosensitive Copolysiloxaneimides, 1463
Zhu, Y.-Q. See Tang, L.-G., 1953
Zhu, Z. See Deng, X., 1295

Journal of Applied Polymer Science

Subject Index to Volume 64

Acetal copolymer, 329
Acetylation, 1517
Acid catalysis, 351
Acrylamide, 1259
Acrylamide (AM), 1345
Acrylamide-formaldehyde (AMF) resin, 2473
Acrylate, 1067
Acrylic acid, 577, 591
Acrylic acid (AA), 1345
Acrylonitrile, 931
Acrylonitrile (AN), 1825
Acrylonitrile solution, 2037
ACS copolymer, 399
Actuator, 383
Additivity principle, 1485
Adhesion, 1913, 2355
Adhesion strength, 2535
Adhesive, 1733
Adhesive strength, 1485
Adhesives, 1393
Adsorption, 383, 783
Advanced composites, 273
Agglomerates, 2575
Air stability, 667
Aliphatic copolyester, 1999
Aliphatic diisocyanate, 957
Alkali swelling, 1947
Alkyl benzoate, 1445
Alkynylation, 1987
Amine/hydroxyl bifunctional monomer, 2519
5-aminoisophthalic acid, 921
Amorphous orientation, 1363
Amphiphilic polymers, 2441
Amylose–amylopectin ratio, 631
Aniline, 2421
Anion exchange, 2561
Anion exchange resin, 1161
Anion-exchange membranes, 1469
Anionic polymerization, 2575
Anionic surfactant, 1825
Antifouling, 567
Antitumor activity, 2605
Aperture, 1667
Aromatic Diol Chain Extenders, 539
Aromatic polyamide, 831
Aromatic polyamide reverse osmosis composite membrane, 1923
Asymmetric, 567
Atomic force microscopy, 797
Autocondensation, 243
Automation, 1613
Average field approximation, 1525
Azo pendent groups, 921

Bamboo fiber-reinforced polypropylene (PP) composites, 1267
Barrier diffusion, 699
Batch reactor, 1015
Battery, 2149
Bending, 383
Benzidine, 2421
Benzoin ethyl ether, 883
Benzophenone, 883
3,3′,4,4′-benzophenone tetracarboxylic dianhydride, 1585
Bimetal alkoxide, 1295
Bimodal distribution, 941
Biodegradability, 891
Biodegradable fibers, 213
Biodegradation, 1999
Bioelectret, 267
Bioplastic, 1411
Birefringence, 791, 2165
Bismaleimide resin, 273
Bisthiazole rings, 2309
Bis(4-chlorocarbonyl phenyl)dimethylsilane, 1329
1,3-bis(vinylsulfonyl)-2-propanol, 1879
Blend, 329, 411
Blend morphology, 749
Blended membrane, 875
Blends, 231, 1097, 1605, 1635, 1835, 1937, 2363, 2535, 2613
Blistering, 107
Block copolymer, 527, 1635, 2543
Block copolymerization, 1169
Blow extruded polypropylene, 1247
Blown film extrusion, 2613
Bond promoter, 2355
Branched polystyrene, 683
Bromination, 1987, 2031
3-bromoalanine, 2031
Bromotyrosines, 2031
Bulk free-radical polymerization, 683
Butadiene, 203, 2491

Caprolactam, 2575
ε-caprolactone, 1295
ε-caprolactone and trimethylene carbonate, 2131
Carbohydrate, 231
Carbon black (N110), 321
Carbon dioxide, 2105
Carbon membranes, 2323
Carbon microstructure, 2323
Carbonaceous material, 1175
Carbonate salts, 1423
Carboxyl functionalities, 147
Carboxyl group, 1947
Carboxymethyl cellulose, 289
Cardo polyesters, 1329
Cast elastomers, 957
Castor oil polyurethane–poly(methyl methacrylate) interpenetrating polymer networks (IPN COPU/PMMA), 1393
Catalyst, 367
Catalysts, 127
Catalyzed hydrolysis, 2449
Cationic copolymers of polyacrylamide, 783
Cationic polymerization, 1719
CB-containing blends, 1097
Cell culture, 267
Cellulose, 231, 1953
Cellulose acetate, 1937
Cellulose esters, 875
Cellulose microfibrils, 1185
Cellulosic absorbents, 2259
Chain branches, 133
Chain conformational distribution, 197
Chain end number, 133
Chain lengths, 547
Chain-length dependence, 1015
Characterization, 1585
Charge capacity, 2149
Charge-transfer mechanism, 2097
Chemical modification, 891, 1987, 2119, 2561
Chemomechanical system, 383
Chemorheology, 95

Journal of Applied Polymer Science, Vol. 64, 2691–2697 (1997)

Chemoviscosity, 95
Chitosan, 819
Chitosan–transition metal complexes, 819
Chloroprene rubber, 1733
CHT cure diagram, 15
CO_2 laser radiation, 1091
Coatings, 2247
Coaxial nozzle, 2105
Coir, 2283
Cold plasma, 699
Collagen, 267
Collagen–chitosan composite, 2127
Color fasteness, 2399
Coloration, 2037
Comonomer incorporation, 2567
Compact dense or spherulitic structures, 2575
Compatibility, 1635
Compatibilization, 983
Compatibilizer, 329, 707, 1485, 2519, 2535
Compatibilizer precursor, 1531
Composite, 231, 2355
Composites, 39, 667, 1267, 1739, 1785, 2073, 2317
Composites synthesis, 423
Composition control, 373
Compressed fluid antisolvent, 2105
Concentration and temperature profile, 203
Conducting composite, 2293
Conductivity, 667, 2309
Conformational entropy, 77
π-Conjugated polymers, 1657
Contact angle, 831
Conversion–temperature–property relationships, 39
Copolycondensation, 1463
Copolyetheramides, 2155
Copolymer, 1001
Copolymeric systems, 2247
Copolymerization, 1015, 1259, 1719, 2421
Copolymers, 1961
Copper corrosion protection, 2585
Copper ion catalyst, 2047
Core/shell latex particles, 1123
Core–shell latex particles, 2409
Coumarin dimer, 1749, 1759
Coupling agent, 2519
Coupling reactions, 2519
CR-39 resin, 971
Crack resistance curve, 1079
Creep recovery, 289
Cr(III) oligomers, 1381
Critical, isobaric, temperature-rising elution fractionation (CITREF™), 2015
Crosshead speed, 1079
Crosslinked PSBH, 2293
Crosslinking, 77, 527, 823, 1001, 1009, 1123, 1135, 1235, 1345, 1605, 2561
Cross-linking, 2127
Crosslinking copolymerization, 1681, 1691
Cross-linking efficiency, 1879
Crosslinking of polypropylene, 311
Crosslinks, 2623
Crystalline behavior, 2441
Crystalline size, 2441
Crystallinity, 225, 631, 1091, 1411, 1903, 2631
Crystallization, 411, 797, 1267, 1337, 1423, 1451, 1785, 2165
Crystallization kinetics, 707, 911
Cure, 15, 69
Cure mismatch, 321
Curing, 1557
Curing kinetics, 769, 2457
Current density, 1641
Cyanate ester network, 107
Cyanate ester networks, 179
Cyanate ester resins, 115
Cyclic oligomerization, 1203
Cyclic stress, 1499
Cyclobutane, 1749
Cyclohexyl methacrylate, 1733

Debonding, 653
Deborah number, 2007
Decomposition, 591
Decomposition kinetics, 1217
Deformation, 673
Degradation, 519, 723
Degree of swelling, 1691
Densities, 547
Dependence of ion kind and intensity, 1403
Dependence of solvent composition, 1403
Dialkyl phthlate, 1445
Diazotization, 921
Dichroism, 2165
Dielectric, 225
Diethoxyethane, 2543
Differential scanning calorimetry, 1329, 1903
Differential scanning calorimetry (DSC), 197, 343, 803, 1451, 2529
Differential scanning calorimetry glass transition (DSC T_g), 191
Differential sorption, 2007
Diffusion, 699
Diffusion coefficient, 389, 1373
Diffusion control, 115
Diisocyanate, 2347, 2355
4,4′-diisocyanatodicyclohexyl methane, 957
Dilatometry, 653
Dilution, 1319
Dioxycoumarin, 1759
DMTA, 769
Drug releasing behavior, 2647
DSC, 769
Dye binding, 2561
Dyeability, 601
Dynamic mechanical analysis glass transition (DMA T_g), 191
Dynamic mechanical analysis of composites, 2467
Dynamic mechanical relaxation, 1053
Dynamic mechanical spectroscopy, 2067

Effective crosslinking density, 1691
Effective occluded volume, 321
Egg lysozyme release behavior, 1403
Elastic modulus, 1067
Elasticity, 2141
Elastomer, 2347, 2355
Elastomeric films, 1143
Electric field polarization, 1769
Electrical conductivity, 2421
Electron beam modification, 2529
Electronic equipment, 1667
Electrorheological (ER) properties, 1641
Electrorheology, 303, 1319
Electrostatic capacity, 1107
EMI/EMC, 1667
Emulsion polymerization, 1947
End-group dependence, 197
Endo-3,6-epoxy-1,2,3,6-tetrahydrophthalimide (ETPI), 2605
Endo-dicyclopentadiene, 1719
EPDM, 329
Epoxidized vegetable oils, 2073
Epoxies, 157
Epoxy, 95
Epoxy resin, 2457
Epoxy resin matrix, 2467
Epoxy/amine thermoset–glass fiber composite, 39

Epoxy–amine/glass fiber composite, 55
Epoxy–anhydryde reaction, 157
Equilibrium melting temperatures, 407
Erosion, 2199
ESR, 1291
Ethylacrylate, 2265
Ethylbenzene, 2575
Ethylene oxide–ethylene terephthalate copolymer, 2433
Ethylene-*co*-vinyl alcohol, 983
Ethylene–vinyl acetate and ethylene–acrylic acid copolymers, 2221
Ethylene–vinylacetate copolymer, 1903
EVAc-28/CR blends, 321
Extrusion, 1411

Factor analysis, 2067
Failure, 2057
Fatigue, 553
Feed rate, 1595
Fibers, 343, 601, 729, 1073, 1363, 1937, 2283, 2631
Fibrils, 1517
Filler, 653
Films, 1469
Films orientation, 791
Filtration, 1115
First-order Markov statistics, 1815
Five block copolymers, 1961
Flame retardancy, 601, 1175
Flavonoids, 243
Flocculation, 783
Flow, 2165
Flow-induced crystallization, 1337
Fluorescence, 1575, 1657
Fluorescent nonradiative energy transfer (NRET), 2409
Fluorinated copolymers, 407
Fluoropolymers, 455, 477
Formaldehyde, 1879
Fourier transform infrared (FTIR) spectroscopy, 2283
Fourier transform infrared spectrometric analysis, 1355
Fourier transform infrared spectroscopy (FTIR), 2505
Fourier transform infrared–attenuated total reflectance (FTIR-ATR) spectroscopy, 1971
Fracture, 673
Fracture mechanics, 2057
Fracture surfaces, 2221
Fracture toughness, 941
Free radical, 1681, 1691
Free-radical polymerization, 1815
Free-radical polymerizations, 1861
Frequency master curve, 971
FRP composites, 2467
FTIR spectra, 2119

Gas permeation chromotography, 351
Gas phase, 373
Gas phase polymerization, 203
Gas separation, 1725, 1987
Gases, 1849
Gel, 1067
Gel fraction, 1681
Gel permeation chromatography (GPC), 2505, 2529
Gel transition behavior, 1477
Gelation, 95, 115, 337, 1381
Gels, 1283
Glass fiber–jute fiber hybrid composites, 2467
Glass transition, 77, 769, 1903
Glass transition temperature, 197, 507
Glass transition temperature, T_g, 3
Gloves, 553
Glycidyl methacrylate, 1489
Gossyplure pheromone, 1373
GPC, 1613
Gradient polymers, 1927
Gradient refractive index, 849
Graft copolymerization, 343, 1437, 1733
Graft polymers, 2441
Grafting, 2259, 2399
Gravimetric desorption, 1373

HDPE/$CaCO_3$, 1275
Heat generation, 1541
Heat resistance, 273
Heavy ether, 2543
High solids content latexes, 1797
High-pressure poly(ethylene-*co*-vinyl acetate) (HP-EVA), 2015
High-speed fiber spinning, 729
High-temp dissolution, 1613
HIPS/LLDPE systems, 1097
Hofmann elimination, 1161
Homogeneous composites, 439
HTPB, 2347, 2355
Hydrogel, 891, 1001, 1009, 1403
Hydrogels, 1477, 2371
Hydrogen bonding, 2089
Hydrogen peroxide, 2491
Hydrogenated styrene/isoprene/styrene triblock copolymer, 1835
Hydrogenation, 2047
Hydrogen-donating hydrocarbon, 311
Hydrolysis, 107, 1217
Hydrophilic, 567
Hydrophilic modification, 831
Hydrophilic vinyl monomers, 2259
Hydroxyalkyl methacrylates, 1259
2-hydroxyethyl methacrylate copolymers, 2141
Hydroxyl functionalities, 147
Hydroxyl-terminated polybutadiene (HTPB)-based polyurethanes (PUs), 1235
Hydroxyl-terminated polybutadienes (HTPBs), 2491
Hysteresis, 1541

Impact strength, 2221
In situ composite preparation, 359
In vitro degradation, 213
Infrared dichroism, 791
Infrared spectra, 1517
Infrared spectroscopy, 717
Injection-molding, 2057
in-situ polymerization, 2317
Interaction, 1275
Interaction parameter, 411, 1485
Intercalation, 2211
Interchange reaction, 2363
Interface, 2067
Interface resistance, 1153
Interfacial adhesion, 359, 2317
Interfacial crosslinking, 1143
Interfacial modification, 1275
Interfacial morphology, 1267
Intermacromolecular complex, 2089
Interpenetrating network (IPN), 1235
Interpenetrating polymer network, 2067
Interpenetrating polymer networks (IPNs), 2647
Inverse suspension polymerization, 2371
Ion exchangers, 1893
Ion irradiation, 723
Ionomer, 1725
IPNs, 903

Irradiation, 823, 2237
γ-irradiation, 1291
Isocyanate/epoxy thermosetting system, 15, 27
Isoimide rings, 1463
Isopropylacrylamide, 1775
Isothermal aging, 55
Isothermal increasing pressure profiling fractionation, 2015
Isothermal modulus vs. conversion, 27
Isothermal properties, 69

Joint design, 1667
Jute, 1517
Jute fabric, 2473

Kinetic models, 1225
Kinetics, 243, 577, 591, 1825, 2543

Laboratory robotics, 1613
Lactic acid, 865
Laminar structure, 1531
Laser ablation, 1203
Latex, 553
Latex films, 1143
Latex particles, 1123, 1143
Latexes, 1797
Ligand exchange, 1225
Ligand-exchange resin, 1225
Light microscopy, 1355
Light-focusing plastic rod, 849
Lignin, 231
Lignocellulose, 2561
Linear viscoelastic relaxation spectrum, 2177
Liner, 2347, 2355
Liquefied wood, 351
Liquid crystal, 303, 1319
Liquid crystalline polymer, 645, 707
Liquid crystalline polymers, 619
Liquids, 1849
Long soft segment, 2433
Low dimension, 1769
Low-molecular-weight complexes, 1575
Lysine and arginine residues, 1879

M50 steel nanopowders, 2667
Magnesium dichloride, 1445
Magnetic domain, 1843
Magnetic polymer microspheres, 1843
Magnetic properties, 1843
Maleation, 329
Mathematical models, 455, 477
Mechanical behavior, 1053
Mechanical coupling, 1041
Mechanical properties, 399, 439, 631, 645, 749, 1275, 1411
Mechanical property, 2089
Mechanical stability, 2657
Mechanochemical degradation, 2273
Melt blending, 1485
Melt extrusion, 2665
Membrane, 1725, 1987
Membrane preparation, 1115
Membranes, 2665
Mesogenic group, 303
Metal chelating, 2309
Metal chelation, 891
Metal complexes, 1575
Metal oxide filler, 1499
Methacrylamide, 1259
Methacrylic esters, 2399
Methanol, 875
Methyl acrylate, 841
Methyl methacrylate, 367, 841, 2097
Methyl *tert*-butyl ether, 875
Micro-Brawnian motion, 389
Microcomposite, 2089
Microcracking, 27
Microfiltration membranes, 2665
Microparticles, 2105
Micropores, 2323
Microstructure, 2127, 2543
Microwave radiation, 179
Miniemulsion polymerization, 1797
Miscibility, 411, 2191, 2363
Modeling, 203
Modified polyamide, 1531
Modified polyisophthalamides, 921
Modifier, 2543
Molecular mass, 631
Molecular mobility, 1041
Molecular orientation, 2631
Molecular weight control, 423
Mono layers, 2449
Monodispersion, 1107
Monomer partitioning, 931
Monomethyl ether of hydroquinone (MEHQ), 577
Monomolecular domain, 763
Monte Carlo process, 607
Monte Carlo simulations, 547
Montmorillonite, 367, 2211
Morphological parameter, 941
Morphology, 707, 1319, 1595, 1947, 2067
Multiblock copolymer, 1153
Multiblock copolymers, 619
Multihollow particle, 1947

Nanocomposites, 2211
Nanostructured materials, 2667
Natural rubber, 2191
Natural rubber (NR) membranes, 2597
n-hexane/acetone mixtures, 2597
Nitration, 645
Nitrile rubber, 1605
Nitrogen adsorption, 2323
N-methylol nylon-6, 855
NMR, 577
N,N-diethyldithiocarbamyl end-functional polystyrene, 1169
N,N-dimethylaminoethyl methacrylate (DMAEMA), 1815
N,N-dimethylaniline, 921
Nonlinear viscoelasticity, 689
Novolac resin, 2323
N-phenylmaleimide, 2037
Nuclear magnetic resonance (NMR), 1635
Nucleating agent, 2505
N-vinylcarbazole (NVC), 1815
n-vinyl-2-pyrrolidone polymerization, 1437
Nylon 6–potassium titanate composites, 2317
Nylon-6/acrylonitrile–butadiene–styrene blend, 1595

Olefin polymerization, 373
Oligomers, 1625
On-line inferential-state estimation, 1861
Optical anisotropy, 1211
Optical rod, 849
Ordelt saturation, 133
Organic–inorganic hybrid materials, 1893
Organic–organic mixtures, 1061
Organosiloxane, 699
Orientation, 1999
Oscillating stress, 289
Oxidation, 2497
Oxygen barrier properties, 1031
Oxygen diffusion, 1291
Oxygen permeability, 1153

Particle growth, 203
Particle size, 1605
Particles, 2199
Particle-size distribution (PSD), 1797

Particulate composite, 1525
Pectins mechanical properties, 1185
PEDEKmK, 1451
Peel, 2355
Pendent photoreactive diazoketone functional group, 2381
1,3-pentadiene, 1719
Percolation threshold, 1525
Permeability, 553, 2309
Permeation, 477
Permeation barrier property, 1531
Pervaporation, 855, 875, 1061, 2597
PE–PANI membranes, 2665
Phase behavior, 1835
Phase composition diagrams, 1301
β-phase nucleating additives, 1247
Phase separation, 619
Phase transformation toughening, 2057
Phenol, 351
Phenolphthalein–anilide, 1329
Phenolysis, 351
Photochemical fragmentation, 1203
Photochemical grafting, 883
Photochromic homopolymer/copolymer, 841
Photocleavage, 1759
Photoconductivity, 1769
Photocrosslinking, 2299
Photocuring, 2073
Photodegradation, 2497, 2505
Photoinduced graft, 1195
Photoinitiators, 2237, 2247
Photopolymerization, 1749, 1759
Photosensitive copolysiloxaneimides, 1463
Phthalocyanine polymer, 1769
Physical properties, 311
Physicochemical behavior, 2119
Pineapple agrowaste leaf fiber, 2119
Pineapple leaf fiber (PALF), 1739
Plasma deposition, 699
Plasma graft copolymerization, 1713
Plasma modification, 1923
Plasma polymerization, 1031
Plasma polymerized films, 717
Plasma treatment, 831
PMAA, 903
PMMA, 841, 1291
PMUA, 2657
Polar, 2543
Polladium poly-ynes, 1657
Poloxamer, 763
Polyacrylamide, 1067, 1381
Polyacrylics, 507
Polyamide, 1153, 1489, 1605
Poly(amide hydrazide), 1211
Polyamides, 921
Polyaniline (PAn)-based suspensions, 1641
Poly(aryl ether ether ketone), 1041
Poly(aryl ether ether ketone) (PEEK), 1053
Poly(aryl ether ketone), 1725
Poly(arylene ether sulfone), 1987
Polycaprolactam, 1255
Polycarbonate, 645, 2363
Poly(*cis*-butadiene) rubber, 2265
Polycondensation, 243
Polydimethylsiloxane, 303, 941, 1499, 1961
Poly(dimethylsiloxane), 1153
Poly(dimethylsiloxane-*co*-diphenylsiloxane), 1499
Polyester, 1355
Polyester microfiber fabrics, 1217
Polyesters, 1135
Polyesterurethane, 2363
Poly(ester–urethane), 865
Polyether, 1749, 1759
Poly(ether ether ketone) (PEEK), 1091
Polyether–urethane/urea, 957
Polyethylene, 423, 439, 717, 823, 2221
Poly(ethylene *co*-vinyl alcohol), 2613
Poly(ethylene glycol), 527, 2441
Polyethylene naphthalate (PEN), 729
Poly(ethylene oxide), 411, 2299
Poly(ethylene terephthalate) film, 1437
Poly(ethylene terephthalate) (PET), 1423
Poly(ethylene terephthalate) (PET) film, 1203
Polyethylene/poly(phenylene ether)polystyrene, 1835
Polyflavonoids, 243
Polyimide, 723, 1309, 1585
Polyimides, 389
Poly(see under L-lactic acid), 213
Poly(see under L-lactide), 911
Polymer, 225, 1291
Polymer blend, 797
Polymer blends, 399, 983
Polymer complexes, 1575
Polymer composite, 645
Polymer dissolution, 1613
Polymer inclusion compounds, 281
Polymer membranes, 1373
Polymer reinforcement, 1739
Polymeric microsphere, 1107
Polymeric photoinitiators, 2237
Polymeric surfactant, 2667
Polymerization, 2037, 2097, 2543
Polymerization filling, 1255
Polymerization-filling technique, 423, 439
Polymer–polymer chain interpenetration, 547
Polymer–polymer composites, 281
Polymer–polymer interaction parameter, 1301
Poly(methyl methacrylate), 971
Poly(methyl methacrylate-methacrylic acid) membranes, 1115
7,7′-(polymethylenedioxy)-dicoumarin, 1749
Polyolefines, 749
Polyolefins, 507
Polyoxyethylene, 2657
Polyphenylene-ether, 1175
Polypropylene, 707, 883, 1489, 2221, 2265
α-Polypropylene, 2057
Poly(propylene carbonate), 2457
Polypropylene fibers, 601
Polypropylene membrane, 567
Polypropylene-silane interphase, 1971
Polypyrrole, 2293
Polypyrrole film, 383
Polypyrrole films, 519, 1073
Poly-Schiff bases, 2309
Polysiloxane, 303, 1319
Polystyrene, 645, 971
Polystyrenes, 507
Polystyrene–polybutadiene blends, 1301
Polysulfone, 619
Polyurethane, 2347
Polyurethane elastomers, 803
Polyurethane model compounds, 2449
Poly(vinyl acetate), 411
Poly(vinyl alcohol) (PVA), 1337
Poly(vinyl alcohol) (PVA) membranes, 1061
Poly(vinyl alcohol) (PVA)/ethylene glycol (EG) system, 1283

Poly(vinyl butyral), 797
Poly(vinyl chloride), 399, 1373, 2273
Polyvinylchloride, 1079
Poly(ε-caprolactone), 797
Poly(ϵ-caprolactone), 2211
Pore size, 763
Porous hygroscopic polymeric materials, 493
Positron emission tomography (PET) films, 1031
Potato starch, 1411
PPE/PS alloy, 1175
Ppy–CF composite film, 2149
Preconcentration, 1115
Preparation, 1585
Prepolymer, 865
Prepregs, 337
Pressure, 2567
Progesterone, 1811
Properties, 455, 477
Pure hydrocarbon, 311
PVAc, 1291
PVC, 1195
PVDF, 225
Pyromellitic diahydride, 1585
Pyrrole, 1073

Quadratic programming, 2177

Radiation curing, 1625
Radiation polymerization, 1775
Radiation-initiated graft copolymerization, 1469
Radical polymerization with photoiniferter, 1169
Radical reactions, 243
Radical scavenger, 311
Random copolymerization, 2131
Rare earth catalysts, 1295, 2131
Reactive blend, 1595
Reactive blending, 983
Reactive extrusion, 359
Reactivity ratio, 1719
Reactivity ratios, 1259
Reactor design, 373
Rearrangement reaction, 1175
Redoping, 519
Redox initiator, 1009
Regime transition, 911
Relaxation spectrum, 2177
Release kinetics, 1373
Remote nitrogen plasma, 699
Remote plasma, 831
Renewable resources, 231
Resins, 607, 1557
Rigid amorphous fraction, 911
Rigid rodlike polymer, 1211
Ring-opening polymerization, 1295
Rod lens, 849
Rosin, 2191
Rubber, 553, 1927
Rubber elasticity, 1879
Rubber surface, 2199
Rubber vulcanizates, 1541
Rutherford backscattering technique, 723

SBR latex, 2047
SBS, 2543
Scanning electron microscopy, 903, 1355
Scanning electron microscopy (SEM), 1913, 1953
SEBS, 2519
Seeded emulsifier-free emulsion polymerization, 1843
Segmented block copolyetheramides, 2155
Segmented polyurethanes, 1511
Segmented polyurethanes (SPUs), 539
Semicrystalline polymer, 1041
Semi-interpenetrating networks (semi-IPN), 1811
Shape memory, 2433
Shape memory effect, 1511
Shear, 2355
Shelf cure, 337
Shielding effectiveness, 1667
Shrinkage, 2399
Silane modified PVI(1)s, 2585
Silica gel, 763
Silicon tetraethoxide, 1445
Silicone, 1153
Silicone–carbon resins, 607, 1557
Silk fabric, 1713, 2031
Silver additive, 1309
Simultaneous free radical graft copolymerization, 2473
Small angle X-ray scattering (SAXS), 2155
Small-angle neutron scattering (SANS), 2323
Small-angle x-ray scattering (SAXS), 803
Sodium persulfate, 591
Soft segment length, 803
Solar curing, 2073
Sol-gel, 1893
Sol–gel process, 763
Solution acetylation, 1953
Solvent effect, 411
Sorption, 455
Soy protein, 891
Spacer-modified resin, 1161
Specific interaction at oxide surfaces, 2449
Specimen dimension and configuration, 1079
SPG membrane emulsifier, 1107
SS-TMA, 389
Stabilization, 2037
Starch, 231, 2613
Static yield stress, 1641
Statistical modeling, 607
Steady flows, 689
Strain coupling, 689
Stress, 2165
Stress cracking, 167
Stress–strain, 2535, 2631
Stress–strain behavior, 653
Structural parameter, 507
Structure, 243
Structure and property, 2457
Styrene, 841, 883, 931
Styrene-*co*-maleic anhydride, 983
Styrene–acrylonitrile, 1015
Styrylpyridine, 1135
Sucrose acrylate, 1195
Sugar beet pulp, 1185
Sulfonate, 1067
Sulfonation, 645, 1893
Superabsorbent, 577, 591
Superabsorbent polymers, 1345, 1701, 2371
Supercritical fluid infusion, 1309
Supercritical fractionation, 2015
Supermolecular structure, 2089
Superstructure, 2211
Supported catalysts, 423, 439
Surface modification, 831, 1913, 1927
Surface modifications, 1195
Surface morphology, 1211
Surface structure analysis, 1713
Suspension polymerization, 1107
Swelling, 1001, 1009, 1701, 2371, 2647
Swelling behavior, 2141
Swelling of polymer particles, 931
Swelling properties, 1403
Swelling-assisted polymerization, 1437
Swollen-gel polymerization, 849
Syndiotactic polystyrene, 673
Synthesis, 921, 1135

Tack and drape properties, 273
Tackifier, 2191
tan δ, 389
Tannins, 243
Temperature, 1079
Temperature dependence, 1403
Tensile, 2355

Tensile dilatometry, 673
Tensile strength, 343, 2149
Terpene resin, 2191
Testosterone, 1811
Tetraethyl orthosilicate, 903
Tetrafunctional epoxides, 157
Tetramethyl biphenol diglycidyl ether, 941
Themoplastic polycarbonate, 971
Thermal aging, 2421
Thermal analysis, 1301
Thermal behavior, 407
Thermal crosslinking, 855
Thermal degradation, 127, 1329
Thermal hysteresis, 1283
Thermal properties, 2441
Thermal stability, 1135, 1161, 1517, 2585, 2657
Thermally stable polymers, 921
Thermogravimetry (TG), 343
Thermoplastic polyurethanes, 749
Thermoplastic starch, 631
Thermoresponsive polymer, 1775
Thermoreversible polymers, 1477
Thermosets, 95
Thermosetting cyanate ester networks, 167
Thermosetting glasses, 69
Thermosetting systems, 3, 39, 55, 127
Thin films, 699
Thin-film composite membranes, 2381
Thixotropy, 289
TLCP droplet deformation, 359
Toluene permeability, 717
Torsional braid analysis (TBA), 15, 27
Toughening, 971
Toughness, 27, 167, 179, 527
Toxicity, 2605
Transesterification, 2283
Transition metal ions, 819
Transitions, 15
β transition, 1903
Transmission electron microscopy (TEM), 1953
Transport, 455, 477, 1849
Tribology, 1927
Triethylorthoacetate, 2543
Trommsdorff effect, 1861
TSDC, 267
TTT cure diagram, 15
Turbidity, 783

Ultrafiltration, 567
Ultraviolet radiation (UV), 2505
Ultraviolet (UV)-curable coatings, 2247
Ultraviolet-photocurable oligomer, 1625
Unsaturated polyester, 527
Unsaturated polyester (UP) prepolymers, 133, 147
UV cure, 2657

Vacuum evaporation, 225
Vapors, 1849
Vinyl alcohol–ethylene copolymers, 791
Vinyl chloride, 1681
Vinyl ester resins, 769
Vinylpyrrolidone, 1775
Viscoelastic behavior, 1041
Viscoelastic model, 971
Viscoelasticity, 289
Viscosity, 289
Viscosity ratio, 749, 1531, 1595
Vitrification, 337
Void coalescence, 673
Volume-averaging techniques, 493

Water absorbent, 1001, 1009
Water diffusion, 1971
Water repellency, 2399
Water vapor sorption, 493
Water-soluble phosphatidylcholine analogous acrylamide monomer, 1403
Water–ethanol mixtures, 855
Weathering, 2497
Wood fiber-reinforced composites, 1785
Wool fibers, 343
Woolen fabrics, 2399

Xerogels, 1701, 2371
XNBR vulcanizates, 2623
XPS, 831
X-ray diffraction, 1363
X-ray photoelectron spectrometry (XPS), 1913
X-ray photoelectron spectroscopy, 717

Yield stress, 289
Young's modulus, 1283, 1625